

2019 NEW



retail anti-theft security alarm system



ABOUT US

Established in 2006, is a high-tech enterprise concentrating on Electronic Article Surveillance (EAS) production, development and sourcing for the global market to reduce retail theft and improve shopping experience. Adopting existing advanced EAS technologies covering RF (Radio Frequency), AM (Acousto Magnetic) and EM (Electro Magnetic), Dragon Guard offers a complete line of EAS products including detection system, hard tag, soft label, safer, bottle tag, milk tag etc. Compatible with international standard and Checkpoint, Gateway, Sensormatic, Shopguard, Gateway, WG, Nedap and other systems.

Dragon Guard products come in a large variety of shapes, sizes, and purposes providing a perfect security protection serving dealers, distributors and end users worldwide. All types of supermarket, library, garment, and retail market etc. , can be secured by Dragon Guard products.

Apart from traditional EAS manufacture and OEM, Dragon Guard also attaches great importance to unique design and new products development. Based on customers' requirements, our professional design and technology team will provide the best products for mutually beneficial cooperation and common development.

At Dragon Guard, commitment to quality is one of our core values. Every employee is responsible for maintaining a high level of quality in everything we do. In order to guarantee that we established a strict QC team to make full inspection before delivery.

You have the freedom to choose high-quality products and the most optimal solution for your clients or yourselves from Dragon Guard. Your satisfaction and mutually sustainable positive development will be our ultimate goal.

Why choose us?

More than 13 years experience



XUZHOU DRAGON GUARD INDUSTRIAL CO.,LTD is a manufacturer specialized in electronic article surveillance(EAS) equipment for more than 13 years. Founded in 2006, with rich experiences in loss prevention field.

Approved many certifications



With global customers like Walmart, Tesco, Carrefour,etc. All the products approved CE, ROHS, SGS, MSDS, and other certifications.

International standard factory



With own factory, which is approx 10,000 square meters, that meet ISO9001 demands. In addition, the factory pass the inspection of many big companies such as Auchan, Home Depot etc.





Contents

<i>Part 1</i>	<i>Spider Tag & Alarm Tag</i>	<i>1-01</i>
<i>Part 2</i>	<i>Hard Tag</i>	<i>2-01</i>
<i>Part 3</i>	<i>Pin & Lanyard</i>	<i>3-01</i>
<i>Part 4</i>	<i>Bottle Tag</i>	<i>4-01</i>
<i>Part 5</i>	<i>Baby Formula Security Tag</i>	<i>5-01</i>
<i>Part 6</i>	<i>Safer</i>	<i>6-01</i>
<i>Part 7</i>	<i>Detacher</i>	<i>7-01</i>
<i>Part 8</i>	<i>RF & AM Label</i>	<i>8-01</i>
<i>Part 9</i>	<i>Source Tag</i>	<i>9-01</i>
<i>Part 10</i>	<i>Display Security & Secure Fixture</i>	<i>10-01</i>
<i>Part 11</i>	<i>AM System & Accessories</i>	<i>11-01</i>
<i>Part 12</i>	<i>RF System & Accessories</i>	<i>12-01</i>
<i>Part 13</i>	<i>EM System & Accessories</i>	<i>13-01</i>

“Spider Tag Alarm Tag”





**SW001 BIG SPIDER WRAP
(2/3ALARM)**

Frequency:8.2MHz/58KHz/
8.2MHz&58KHz
Unit Dimension:72Dia*55mm
Plastic Color:Black,White or Customized
Lock:MagneticLocking
Lanyard Length:100cm or Customized
Packing Details:200pcs/ctn,
23.0kgs/ctn,58*40*34cm



**SW002 SMALL SPIDER WRAP
(2ALARM)**

Frequency:8.2MHz/58KHz
UnitDimension:50Dia*45mm
Plastic Color:Black,White or Customized
Lock:Magnetic Locking
Lanyard Length:65cm
Packing Details:100pcs/ctn,
5.62kgs/ctn,30*30*21cm



**SW004 SPIDER NET
(2/3 ALARM)**

Frequency:8.2MHz/58KHz/
8.2MHz&58KHz
Unit Dimension:72Dia*55mm
Plastic Color:Black,White or Customized
Lock:Magnetic Locking
Lanyard Length:36cm/72cm or Customized
Packing Details:150pcs/ctn,
21.5kgs/ctn,58*40*34cm

3 Alarm Spider Wrap

1. The Spider Wrap will alarm when the lanyard is being cut.
2. It will activate the EAS system alarming when carried outside your store.
3. The Spider Wrap itself will also alarm when pass through the EAS system.



ALARMING2



ALARMING2



ALARMING3

AT004 Alarm Tag



AT004 Alarm Tag (2/3 ALARM)

Frequency: RF 8.2MHz/AM 58KHz

Unit Dimension: 50*32*19mm

Plastic Color: Black/White

Lanyard Length: 120mm or Customized

Lock: Magnetic Locking

Packing Details: 200pcs/ctn, 6kgs/ctn, 40*30*20cm



**AT001 ALARM TAG
(2/3 ALARM)**

Frequency:8.2MHz/58KHz
Unit Dimension:83*34*23mm
Plastic Color:Black,White or Customized
Lock:Standard/Super Lock
Lanyard Length:175mm/1500mm/Customized
Packing Details:100pcs/ctn,6kgs/ctn,
38*29*25cm



**AT004 ALARM TAG
(2/3 ALARM)**

Frequency:8.2MHz/58KHz
Unit Dimension:50*32*19mm
Plastic Color:Black,White or Customized
Lock:Standard/Super Lock
Lanyard Length:120mm/Customized
Packing Details:200pcs/ctn,6kgs/ctn,
40*30*20cm



**AT005 ALARM TAG
(2/3 ALARM)**

Frequency:8.2MHz/58KHz
Unit Dimension:89*37*16.5mm
Plastic Color:Black,White or Customized
Lock:Standard/Super Lock
Lanyard Length:175mm/1500mm
/Customized
Packing Details:100pcs/ctn,6kgs/ctn,
38*29*25cm



**AP001 ALARM PIN
(2 ALARM)**

Frequency:8.2MHz/58KHz
Unit Dimension:43Dia*21mm
Plastic Color:Grey,White
Pin Length:16/19mm or Customized
Pin Shaft:SmoothPin/GroovedPin

Advantage

- Self-alarm tag is available in 2-alarm and MultiAlarm variants.
- The 2-alarm version will alarm if the lanyard is being cut, and it will activate your EAS system if the alarm tag pass through your store.
- The MultiAlarm version does the same, but the alarm tag itself will also alarm when carried outside your store, following and intimidating the thief.
- For maximum versatility, the alarm tag incorporates dual AM and RF technologies.



***H**ard tag, is one of the most widely used anti-theft products, easy using and reusable, cost-effective, which can be used on clothing, bags, shoes and other different products.*

Hard Tag



Dragon Guard offers a variety of hard tags of Acousto-Magnetic(AM), Radio-Frequency (RF) and RFID technology, also can be customized according to your need.

When a tagged item passes through the anti-theft system at entrance or checkout counter, an alarm sounds warning you that a tagged merchandise is leaving the store without being deactivated or removed at your checkout counter.



T010 ALPHA

Frequency:8.2MHz
Unit Dimension:53 Dia*21mm
Plastic Color:Grey,White or Customized
Lock:Magnetic Locking
Packing Details:500pcs/ctn,9.0kgs/ctn,
59*39*18cm



T034 MINI ROUND

Frequency:8.2MHz
Unit Dimension:42 Dia*18mm
Plastic Color:Grey,White or Customized
Lock:Magnetic Locking
Packing Details:1000pcs/ctn,9.0kgs/ctn,
46*32*21cm



T009 LARGE UFO

Frequency:8.2MHz
Unit Dimension:62 Dia*19mm
Plastic Color:Grey,White or Customized
Lock:Magnetic Locking
Packing Details:500pcs/ctn,8.0kgs/ctn,
46*33*23cm



T007 SMALL CONE HARD TAG

Frequency:8.2MHz
Unit Dimension:45 Dia*19mm
Plastic Color:Grey,White or Customized
Lock:Magnetic Locking
Packing Details:1000pcs/ctn,13.0kgs/ctn,
46*31*22cm



T008 UFO

Frequency:8.2MHz
Unit Dimension:48 Dia*18mm
Plastic Color:Grey,White or Customized
Lock:Magnetic Locking
Packing Details:1000pcs/ctn,11.0kgs/ctn,
44*33*24cm



T012 GOLF TAG (63MM)

Frequency:8.2MHz
Unit Dimension:63 Dia*22mm
Plastic Color:Black,White or Customized
Lock:Magnetic Locking
Pin Length:16mm or Customized
Pin Shaft:Smooth Pin
Packing Details:500pcs/ctn,11.0kgs/ctn,
48*37*22cm



T012 MINI DOME (45MM)

Frequency:8.2MHz
Unit Dimension:45 Dia*22mm
Plastic Color:Black,White or Customized
Lock:Magnetic Locking
Pin Length:16mm or Customized
Pin Shaft:Smooth Pin
Packing Details:1000pcs/ctn,12.5kgs/ctn,
48*38*20cm



T012 GOLF TAG (53MM)

Frequency:8.2MHz
Unit Dimension:53 Dia*22mm
Plastic Color:Black,White or Customized
Lock:Magnetic Locking
Pin Length:16mm or Customized
Pin Shaft:Smooth Pin
Packing Details:500pcs/ctn,10.0kgs/ctn,
38*29*24cm



T015 MINI DOME (45MM)

Frequency:8.2MHz/58KHz
Unit Dimension:45 Dia**22mm
Plastic Color:Black,White or Customized
Lock:Magnetic Locking
Pin Length:16mm or Customized
Pin Shaft:Smooth Pin
Packing Details:1000pcs/ctn,12.5kgs/ctn,
48*38*20cm



T015 GOLF TAG (53MM)

Frequency:8.2MHz/58KHz
Unit Dimension:53 Dia**22mm
Plastic Color:Black,White or Customized
Lock:Magnetic Locking
Pin Length:16mm or Customized
Pin Shaft:Smooth Pin
Packing Details:500pcs/ctn,9.8kgs/ctn,
46*32*21cm



T015 GOLF TAG (63MM)

Frequency:8.2MHz/58KHz
Unit Dimension:63 Dia**22mm
Plastic Color:Black,White or Customized
Lock:Magnetic Locking
Pin Length:16mm or Customized
Pin Shaft:Smooth Pin
Packing Details:500pcs/ctn,10.5kgs/ctn,
59*40*15cm



T031 MAGNETIC SAUCER TAG

Frequency:8.2MHz/58KHz
Unit Dimension:50 Dia**22mm
Plastic Color:Black,White or Customized
Lock:Magnetic Locking
Pin Length:16mm or Customized
Pin Shaft:Smooth Pin
Packing Details:1000pcs/ctn,14.6kgs/ctn,
46*36*26cm



T032

Frequency:8.2MHz
Unit Dimension:55 Dia**19.55mm
Plastic Color:Black,White or Customized
Lock:Magnetic Locking
Pin Length:16mm or Customized
Pin Shaft:Smooth Pin
Packing Details:1000pcs/ctn,12.5kgs/ctn,
50*36*23.5cm



T035 R50

Frequency:8.2MHz
Unit Dimension:50 Dia**19mm
Plastic Color:Black,White or Customized
Lock:Magnetic Locking
Packing Details:1000pcs/ctn,10.5kgs/ctn,
50*33*23cm



T042

Frequency:8.2MHz
Unit Dimension:35 Dia' *19mm
Plastic Color:Black,White or Customized
Lock:Magnetic
Packing Details:1000pcs/ctn,7.2kgs/ctn,
40*30*19cm



T045

Frequency:8.2MHz/58KHz
Unit Dimension:50 Dia**19mm
Plastic Color:Black,White or Customized
Lock:Magnetic
Packing Details:1000pcs/ctn,9.3kgs/ctn,
59*40*22cm



T066

Frequency:8.2MHz
Unit Dimension:35 Dia' mm
Plastic Color:Black,White or Customized
Lock:Magnetic Locking
Packing Details:1000pcs/ctn,10.0kgs/ctn,
30*25*18cm



T053 TINY 30

Frequency:8.2MHz
Unit Dimension:34 Dia*23mm
Plastic Color:Black,White or Customized
Lock:Magnetic Locking
Pin Length:16mm or Customized
Pin Shaft:Smooth Pin
Packing Details:1000pcs/ctn,11.0kgs/ctn,
46*31*20cm



T055 X50

Frequency:8.2MHz
Unit Dimension:50 Dia*22mm
Plastic Color:Black,White or Customized
Lock:Magnetic Locking
Pin Length:16 mm or Customized
Pin Shaft:Smooth Pin
Packing Details:500pcs/ctn,8.0kgs/ctn,
49.5*33*23cm



T055 X40

Frequency:8.2MHz
Unit Dimension:40 Dia*22mm
Plastic Color:Black,White or Customized
Lock:Magnetic Locking
Pin Length:16 mm or Customized
Pin Shaft:Smooth Pin
Packing Details:1000pcs/ctn,12.0kgs/ctn,
58*42.5*19cm



T056 PICCO 30

Frequency:8.2MHz
Unit Dimension:30 Dia*21mm
Plastic Color:Black,White or Customized
Lock:Magnetic Locking
Pin Length:16mm or Customized
Pin Shaft:Smooth Pin
Packing Details:1000pcs/ctn,17.0kgs/ctn,
36*30*20cm



T056B PICCO 30

Frequency:8.2MHz
Unit Dimension:33 Dia*24mm
Plastic Color:Black,White or Customized
Lock:Magnetic Locking
Pin Length:16mm or Customized
Pin Shaft:Smooth Pin
Packing Details:1000pcs/ctn,12.0kgs/ctn,
59*40*13cm



T068 SMALL BOMB (42mm)

Frequency:8.2MHz/58KHz
Unit Dimension:42 Dia*24mm
Plastic Color:Black,White or Customized
Lock:Magnetic Locking
Pin Length:16mm or Customized
Pin Shaft:Smooth Pin
Packing Details:1000pcs/ctn,11.8kgs/ctn,
59*40*14cm



T068 LARGER BOMB (55mm)

Frequency:8.2MHz/58KHz
Unit Dimension:55 Dia*24mm
Plastic Color:Black,White or Customized
Lock:Magnetic Locking
Pin Length:16mm or Customized
Pin Shaft:Smooth Pin
Packing Details:500pcs/ctn,10.0kgs/ctn,
59*40*15cm

APPAREL TAG

T058B



Frequency:58KHz

Unit Dimension:85*19*20mm

Plastic Color:Grey or Customized

Lock:Magnetic Locking

Material:ABS

PackingDetails:

1000pcs/ctn,17.0kgs/ctn,40*30*20cm



T016A Mini Pencil Tag (45mm)

Frequency:8.2MHz/58KHz
Unit Dimension:45*13*19mm
Plastic Color:Grey or Customized
Lock:Magnetic Locking
Packing Details:1000pcs/ctn,8.5kgs/ctn,
40*29*16cm



T016B Mini Pencil Tag(50mm)

Frequency:8.2MHz/58KHz
Unit Dimension:51*13*19mm
Plastic Color:Grey or Customized
Lock:Magnetic Locking
Packing Details:1000pcs/ctn,10.0kgs/ctn,
43*33*21cm




T017 PENCIL TAG

Frequency:8.2MHz/58KHz
Unit Dimension:50*13*20mm
Plastic Color:Grey or Customized
Lock:Magnetic Locking
Packing Details:1000pcs/ctn,13.0kgs/ctn,
39*30*14cm



T019

Frequency:8.2MHz/58KHz
Unit Dimension:53*15*19mm
Plastic Color:Grey or Customized
Lock:Magnetic Locking
Packing Details:1000pcs/ctn,12.0kgs/ctn,
36*25*18cm



T024 BIG PENCIL TAG

Frequency:8.2MHz/58KHz
Unit Dimension:65*16*18mm
Plastic Color:Grey or Customized
Lock:Magnetic Locking
Packing Details:1000pcs/ctn,9.5kgs/ctn,
42*42*14cm



T024B

Frequency:58KHz
Unit Dimension:73*15*19mm
Plastic Color:Grey or Customized
Lock:Magnetic Locking
Packing Details:1000pcs/ctn,12.0kgs/ctn,
50*31*17cm



T058B BIG APPAREL TAG

Frequency:8.2MHz/58KHz
Unit Dimension:85*19*20mm
Plastic Color:Grey or Customized
Lock:Magnetic Locking
Packing Details:1000pcs/ctn,17.0kgs/ctn,
40*30*20cm



T006

Frequency:8.2MHz/58KHz
Unit Dimension:55*24*20mm
Plastic Color:Black,White or Customized
Lock:Magnetic Locking
Lanyard Type:Metal Cable
Lanyard Length:90mm or Customized
Packing Details:1000pcs/ctn,14.0kgs/ctn,
37*33*28.4cm



T023A Lanyard Pencil Tag

Frequency:8.2MHz/58KHz
Unit Dimension:46*24*12mm
Plastic Color:Black,White or Customized
Lock:Magnetic Locking
Lanyard Type:Metal Cable
Lanyard Length:90mm or Customized
Packing Details:1000pcs/ctn,9.5kgs/ctn,
39*30*13.5cm



T023B Lanyard Pencil Tag

Frequency:8.2MHz/58KHz
Unit Dimension:55*24*12mm
Plastic Color:Black,White or Customized
Lock:Magnetic Locking
Lanyard Type:Metal Cable
Lanyard Length:90mm or Customized
Packing Details:1000pcs/ctn,11.0kgs/ctn,
43*33*21cm



T038 LANYARD PERAL TAG

Frequency:8.2MHz/58KHz
Unit Dimension:32*30*19mm
Plastic Color:Black,White or Customized
Lock:Magnetic Locking
Lanyard Type:Metal Cable
Lanyard Length:90mm or Customized
Packing Details:1000pcs/ctn,12.0kgs/ctn,
46*32*21cm



T071

Frequency:8.2MHz/58KHz
Unit Dimension:69*30*19mm
Plastic Color:Black,White or Customized
Lock:Magnetic Locking
Lanyard Type:Metal Cable
Lanyard Length:90mm or Customized
Packing Details:1000pcs/ctn,9.5kgs/ctn,
39*30*13.5cm



T060

Frequency:8.2MHz/58KHz
Unit Dimension:48*42*19mm
Plastic Color:Black,Grey or Customized
Lock:Magnetic Locking
Packing Details:1000pcs/ctn,11.0kgs/ctn,
46*32*21cm



T046 FLOWER TAG

Frequency:8.2MHz
Unit Dimension:42 Dia' mm
Plastic Color:Yellow or Customized
Lock:Magnetic Locking
Packing Details:1000pcs/ctn,9.5kgs/ctn,
50*31*17cm



T021 X PENCIL TAG

Frequency:8.2MHz/58KHz
Unit Dimension:32*30*19mm
Plastic Color:Black,White or Customized
Lock:Magnetic Locking
Packing Details:1000pcs/ctn,11.0kgs/ctn,
46*32*21cm



T002 SMALL SQUARE TAG

Frequency:8.2MHz
Unit Dimension:48*42*19mm
Plastic Color:Black,White or Customized
Lock:Magnetic Locking
Packing Details:1000pcs/ctn,11.0kgs/ctn,
46*32*21cm



T004 LARGE SQUARE TAG

Frequency:8.2MHz
Unit Dimension:65*55*18mm
Plastic Color:Black,White or Customized
Lock:Magnetic Locking
Packing Details:1000pcs/ctn,15.0kgs/ctn,
57*39*23cm



T022 CLUTCH TAG

Frequency:58KHz
Unit Dimension:66*21*20mm
Plastic Color:Grey,White or Customized
Lock:Magnetic Locking
Packing Details:1000pcs/ctn,14.0kgs/ctn,
46*31*20cm



T036 JEWELLERY TAG

Frequency:8.2MHz/58KHz
Unit Dimension:37*22*9mm
Plastic Color:Grey,White or Customized
Lock:N/A
Packing Details:1500pcs/ctn,7.5kgs/ctn,
40*31*16cm



T076 SUNFLOWER TAG

Frequency:8.2MHz
Unit Dimension:41 Dia'*18mm
Plastic Color:Black,White or Customized
Lock:Magnetic Locking
Packing Details:1000pcs/ctn,10.3kgs/ctn



Dragon guard your treasure.

PAGE

Other Tags

2-12



T049

Frequency: 8.2MHz/58KHz
Unit Dimension: 58*24.7*22.86mm
Plastic Color: Black, Grey or Customized
Lock: Magnetic Locking
Packing Details: 1000pcs/ctn, 13.0kgs/ctn,
59*40*13cm



T080

Frequency: 8.2MHz/58KHz
Unit Dimension: 63*27mm
Plastic Color: Black, Grey or Customized
Lock: Magnetic Locking
Packing Details: 1000pcs/ctn, 13.0kgs/ctn,
59*40*13cm



I001 INK PIN

Unit Dimension:55*26*14mm
Plastic Color:White,Transparent or Customized
Pin Length:16mm or Customized
Pin Shaft:Smooth Pin/Grooved Pin
Packing Details:1000pcs/ctn,6.5kgs/ctn,
43*43*15cm



I002 INK PIN

Unit Dimension:25 Dia*8mm
Plastic Color:Transparent
Ink Color:Red,Yellow or Customized
Packing Details:2000pcs/ctn,7.0kgs/ctn,
40*30*17cm



I007 INK PIN

Unit Dimension:53*28*15mm
Plastic Color:Grey or Customized
Pin Shaft:Smooth Pin/Grooved Pin
Packing Details:1000pcs/ctn,13.0kgs/ctn,
57*30*30cm



I008 INK PIN

Unit Dimension:42*27*10mm
Plastic Color:White,Transparent or Customized
Pin Shaft:Smooth Pin/Grooved Pin
Packing Details:1000pcs/ctn,6.5kgs/ctn,
43*43*15cm



I012 INK PIN

Unit Dimension:42*27*10mm
Plastic Color:White,Transparent or Customized
Pin Shaft:Smooth Pin/Grooved Pin
Packing Details:1000pcs/ctn,6.5kgs/ctn,
43*43*15cm



I016 INK PIN

Unit Dimension:42 Dia*30mm
Plastic Color:Beige or Customized
Pin Shaft:Smooth Pin/Grooved Pin
Lock:Magnetic Locking
Packing Details:1000pcs/ctn,10.0kgs/ctn,
50*33*25cm



I017 INK PIN

Unit Dimension:42*28*10mm
Plastic Color:White,Transparent or Customized
Pin Shaft:Smooth Pin/Grooved Pin
Packing Details:1000pcs/ctn,6.0kgs/ctn,
59*40*13cm



I018 INK PIN

Unit Dimension:42*28*10mm
Plastic Color:White,Transparent or Customized
Pin Shaft:Smooth Pin/Grooved Pin
Packing Details:1000pcs/ctn,9.0kgs/ctn,
59*40*13cm



I019 INK PIN

Unit Dimension:42*27*10mm
Plastic Color:White,Transparent or Customized
Pin Shaft:Smooth Pin/Grooved Pin
Packing Details:1000pcs/ctn,6.5kgs/ctn,
43*43*15cm



I036 INK PIN

Unit Dimension:50 Dia' *24.6mm
Plastic Color:Transparent
Ink Color:Red,Yellow or Customized
Pin Shaft:Smooth Pin/Grooved Pin
Packing Details:1000pcs/ctn,13.5kg/ctn,
59*40*22cm



I037 INK PIN

Frequency:8.2MHz
Unit Dimension:50 Dia' *24.6mm
Plastic Color:Transparent
Ink Color:Red,Yellow or Customized
Pin Shaft:Smooth Pin/Grooved Pin
Packing Details:1000pcs/ctn,12.0kg/ctn,
59*40*22cm



I038 INK PIN

Unit Dimension:35 Dia' *24.6mm
Plastic Color:Transparent
Ink Color:Red,Yellow or Customized
Pin Shaft:Smooth Pin/Grooved Pin
Packing Details:1000pcs/ctn,6.5kg/ctn,
59*40*22cm



I039 INK PIN

Unit Dimension:16 Dia' *24.2mm
Plastic Color:Transparent
Ink Color:Red,Yellow or Customized
Pin Shaft:Smooth Pin/Grooved Pin
Packing Details:1000pcs/ctn,15.0kg/ctn,
53*30*20cm



I040 INK PIN

Unit Dimension:19.75Dia' *22.88mm
Plastic Color:Transparent
Ink Color:Red,Yellow or Customized
Pin Shaft:Smooth Pin/Grooved Pin
Pin Length:16mm or Customized
Packing Details:500pcs/box,19*11.7*12cm
5000pcs/ctn,18.9kg/ctn,59*40*13cm



I042 INK PIN



I043 INK PIN

Unit Dimension:37*24.5*13.5mm
Plastic Color:White
Ink Color:Red or Customized
Pin Shaft:Smooth Pin/Grooved Pin
Packing Details:1000pcs/ctn,5.0kg/ctn



I045 INK TAG



I003 INK TAG

Frequency:8.2MHz
Unit Dimension:50 Dia**16.8mm
Plastic Color:Grey,White or Customized
Lock:Magnetic Locking
Packing Details:500pcs/ctn,8.6kgs/ctn,
45*35*26cm



I004 INK TAG

Frequency:8.2MHz
Unit Dimension:50 Dia**17mm
Plastic Color:Grey,White or Customized
Lock:Magnetic Locking
Packing Details:500pcs/ctn,9.2kgs/ctn,
45*35*28cm



I005 INK TAG

Frequency:8.2MHz/58KHz
Unit Dimension:42 Dia**30mm
Plastic Color:Beige or Customized
Pin Shaft:Smooth Pin/Grooved Pin
Lock:Magnetic Locking
Packing Details:1000pcs/ctn,10.0kgs/ctn,
50*33*25cm



I009 INK TAG

Frequency:8.2MHz
Unit Dimension:50 Dia**18.5mm
Plastic Color:Grey,White or Customized
Lock:Magnetic Locking
Packing Details:500pcs/ctn,8.0kgs/ctn,
45*35*24cm



I010 INK TAG

Frequency:8.2MHz/58KHz
Unit Dimension:50 Dia**25mm
Plastic Color:Grey,White or Customized
Lock:Magnetic Locking
Packing Details:1000pcs/ctn,13.0kgs/ctn,
40*30*27cm



I011 INK TAG

Frequency:8.2MHz/58KHz
Unit Dimension:55 Dia**25mm
Plastic Color:Transparent
Pin Shaft:Smooth Pin/Grooved Pin
Lock:Magnetic Locking
Packing Details:500pcs/ctn,13.0kgs/ctn,
42*42*18cm



I015 INK TAG

Frequency:8.2MHz/58KHz
Unit Dimension:55 Dia**25mm
Plastic Color:Black,White or Customized
Pin Shaft:Smooth Pin/Grooved Pin
Lock:Magnetic Locking
Packing Details:500pcs/ctn,13.0kgs/ctn,
42*42*18cm



I020 INK TAG

Frequency:8.2MHz
Unit Dimension:42 Dia**25mm
Plastic Color:Black,White or Customized
Pin Shaft:Smooth Pin/Grooved Pin
Lock:Magnetic Locking
Packing Details:1000pcs/ctn,13.0kgs/ctn,
59*40*14cm



I035 INK TAG

Frequency:8.2MHz/58KHz
Unit Dimension:55 Dia**25mm
Plastic Color:Black,White or Customized
Lock:Magnetic Locking
Packing Details:500pcs/ctn, 10.0kgs/ctn,
59*40*13cm

Heart Tag

SPECIFICATION

Frequency:8.2MHz/58KHz
Dimension:45*43*22mm
Color:Red or customized
Lock:magnetic locking
Packing Details:1000pcs/ctn,15.5kgs/ctn,
46*34*24CM

RETAIL VALUE

Reduce shoplifting
Quick application
Loss prevention and
increase profit



Panda Tag

SPECIFICATION

Frequency:8.2MHz/58KHz
Dimension:45*43*22mm
Color:Red or customized
Lock:magnetic locking
Packing Details:1000pcs/ctn,15.5kgs/ctn,
46*34*24CM


SUGGESTED APPLICATIONS

Clothes Hats Gloves Handbags Towel Scarf Cowboy Sportswear



T033B BLISTER TAG

Frequency:8.2MHz/58KHz
 Unit Dimension:58*55*24mm
 Plastic Color:Black,Grey or Customized
 Lock:Magnetic Locking
 Pin effective length:16mm or customized
 Pin Shaft:Smooth Pin/Grooved Pin
 Packing Details:500pcs/ctn,8.85kg/ctn,47X31X20cm



T011 BLISTER TAG

Frequency:8.2MHz/58KHz
 Unit Dimension:43*38*22mm
 Plastic Color:Black,Grey or Customized
 Lock:Magnetic Locking
 Pin effective length:16mm or customized
 Pin Shaft:Smooth Pin/Grooved Pin
 Packing Details:1000pcs/ctn,11.0kg/ctn,44X34X20cm



T043 CLAMP TAG

Frequency:8.2MHz/58KHz
 Unit Dimension:68*42*19mm
 Plastic Color:Grey,Black,White or Customized
 Lock:Magnetic Locking
 Packing Details:500pcs/ctn,12.0kgs/ctn,43*32*21cm



T059 BAT TAG

Frequency:8.2MHz/58KHz
 Unit Dimension:62*53*20mm
 Plastic Color:Grey,Black,White or Customized
 Lock:Magnetic Locking
 Packing Details:250pcs/ctn,7.3kgs/ctn,40*30*26cm



My Style, My Optical Tag



O008 Optical Tag

Frequency:8.2MHz/58KHz

Unit Dimension:47*31*27mm

Matched Detacher:D012

Plastic Color:Black,Grey or Customized



“give glasses the best protection”



O001 OPTICAL TAG

Frequency:8.2MHz/58KHz
Unit Dimension:42*37*26mm
Plastic Color:Black,Grey or Customized
Packing Details:250pcs/ctn,20.4kgs/ctn,
58.5*39*17.5cm



O005 OPTICAL TAG

Frequency:8.2MHz
Unit Dimension:70.5*15.2*23.3mm
Plastic Color:Black,Grey or Customized
Packing Details:1000pcs/ctn,12.0kg/ctn,
70*15*23cm



O006 OPTICAL TAG

Frequency:8.2MHz/58KHz
Unit Dimension:25*24*27mm
Plastic Color:Black,Grey or Customized
Packing Details:1000pcs/ctn,10.0kgs/ctn,
46*32*21cm



O007 OPTICAL TAG

Frequency:8.2MHz/58KHz
Unit Dimension:52.5*31.2*24.5mm
Matched Detacher:D016
Plastic Color:Black,Grey or Customized
Packing Details:1000pcs/ctn,13.0kgs/ctn
59*40*13cm



O008 OPTICAL TAG

Frequency:8.2MHz/58KHz
Unit Dimension:47*31*27mm
Matched Detacher:D012
Plastic Color:Black,Grey or Customized
Packing Details:1000pcs/ctn,14.5kgs/ctn,
59*40*13cm




O005/O006 Optical Tag Detacher

Unit Dimension:95*15mm
Plastic Color:Black,Grey or Customized
Packing Details:1000pcs/ctn,10.0kgs/ctn,
40*30*19cm

“Pin& Lanyard”





*P*in and Lanyard use with tags, fixed tags onto the products which need to be protected. it is an indispensable accessory for tags. For ordinary products, pin is enough, but for bags, Luggage or silk etc. which with high value or easy to damage, in order to avoid damaging goods, it's had better to use lanyard.

According to the material can be divided into plastic pin and metal pin. for the length of pin, it can be customized. The lanyard is durable, it's difficult to damage, thus effectively preventing the theft.



P001 SWIVEL STEEL PIN

Unit Dimension:12 Dia*2.4mm
Material:Steel
Pin Length:16/19 mm or Customized
Pin Shaft:Smooth Pin/Grooved Pin
Packing Details:10000pcs/ctn,17.0kgs/ctn,
34*25*14cm



P002 FLAT STEEL PIN

Unit Dimension:12 Dia*2.4mm
Material:Steel
Pin Length:16/19 mm or Customized
Pin Shaft:Smooth Pin
Packing Details:10000pcs/ctn,17.0kgs/ctn,
34*25*14cm



P003 FLAT STEEL PIN

Unit Dimension:12 Dia*2.4mm
Material:Steel
Pin Length:16/19 mm or Customized
Pin Shaft:Grooved Pin
Packing Details:10000pcs/ctn,17.0kgs/ctn,
34*25*14cm



P004 CONE STEEL PIN

Unit Dimension:14 Dia*8mm
Material:Steel
Pin Length:16/19 mm or Customized
Pin Shaft:Smooth Pin/Grooved Pin
Packing Details:10000pcs/ctn,20.0kgs/ctn,
41*31*20cm



P004 CONE PLASTIC PIN

Unit Dimension:14 Dia*8mm
Material:Plastic
Plastic Color:Grey,White or Customized
Pin Length:16/19 mm or Customized
Pin Shaft:Smooth Pin/Grooved Pin
Packing Details:10000pcs/ctn,8.5kgs/ctn,
41*31*20cm



P005 DOME STEEL PIN

Unit Dimension:15 Dia*8mm
Material:Steel
Pin Length:16/19 mm or Customized
Pin Shaft:Smooth Pin/Grooved Pin
Packing Details:10000pcs/ctn,21.0kgs/ctn,
41*31*20cm



P005 DOME PLASTIC PIN

Unit Dimension:17 Dia*8mm
Material:Plastic
Plastic Color:Grey,White or Customized
Pin Length:16/19 mm or Customized
Pin Shaft: Smooth Pin/Grooved Pin
Packing Details:10000pcs/ctn,9.0kgs/ctn,
41*31*20cm



P007 DOME PLASTIC PIN

Unit Dimension:20 Dia*5mm
Material:Plastic
Plastic Color:Grey,White or Customized
Pin Length:16/19 mm or Customized
Pin Shaft:Super Tag Pin
Packing Details:10000pcs/ctn,11.0kgs/ctn,
57*22*36cm



P009 DOME PLASTIC PIN

Unit Dimension:13 Dia*4mm
Material:Plastic
Plastic Color:Grey,White or Customized
Pin Length:16/19 mm or Customized
Pin Shaft:Super Tag Pin
Packing Details:10000pcs/ctn,6.0kgs/ctn,
34*24*15.5cm



P008 DOME PLASTIC PIN

Unit Dimension:22 Dia*10mm
Material:Plastic
Plastic Color:Grey,White or Customized
Pin Length:16 /19 mm or Customized
Pin Shaft:Smooth Pin/Grooved Pin
Packing Details:5000pcs/ctn,20.0kgs/ctn,
55*35*21cm



P010 TRANSPARET PIN

Unit Dimension:30Dia**36mm
Color:Transparent
Pin Length:16/19mm or Customized
Pin Shaft:Smooth Pin/Grooved Pin



P011

Unit Dimension:50Dia'mm
Color:Transparent
Pin Length:16/19mm or Customized
Pin Shaft:Smooth Pin/Grooved Pin



CUSTOMIZED LENGTH

Unit Dimension:Customized
Material:Steel
Plastic Color:Grey,White or Customized
Pin Length:21/27/40mm or Customized
Pin Shaft:Smooth Pin/Grooved Pin



CUSTOMIZED MATERIAL

LANYARD



L001 LOOP-TO-LOOP

Unit Dimension:1.8mm Dia'
Color:Black,White or Customized
Lanyard Type:Metal Cable
Lanyard Length:170mm or Customized
Packing Details:10000pcs/ctn,20.0kgs/ctn,
43*34*21cm



L002 LOOP-TO-PIN

Unit Dimension:1.8mm Dia' Color:
Black,White or Customized
Lanyard Type:Metal Cable
Lanyard Length:170mm or Customized
Packing Details:10000pcs/ctn,20.0kgs/ctn,
43*34*21cm



L003 POINT WELDING

Unit Dimension:1.2mm Dia'
Lanyard Type:Metal Cable
Lanyard Length:175mm or Customized
Packing Details:10000pcs/ctn,14.3kgs/ctn,
39*22*12cm



L004 Eye-to-Loop

Unit Dimension:1.8mm Dia'
Lanyard Type:Metal Cable
Lanyard Length:230mm or Customized
Packing Details:2500pcs/ctn,11.0kgs/ctn,
54*38*18cm



L005 Lock Lanyard

Unit Dimension: 7.8 Dia'*15mm,1.3mm Dia'
Plastic Color:White or Customized
Lanyard Type:Metal Cable
Lanyard Length:95mm or Customized
Lanyard Color:Black,White or Customized
Packing Details:5000pcs/ctn,17.0kgs/ctn,
51*25*20cm



L006 Loop-to-Pin

Color: Black,White or Customized
Lanyard Type:Metal Cable
Lanyard Length:150mm or Customized
Packing Details:3000pcs/ctn,21.75kgs/ctn,
52*36*15cm



L007

Unit Dimension:205*21mm
Lanyard Type:Plastic

BOTTLE TAG

*D*ifferent kinds of bottle tag have their own advantage. The length of bottle tag with lanyard can be adjusted to lock different sizes of bottle. Also cost less.

Bottle cap can prevent stealing drink, looks pretty.

Bottle tags are widely used in supermarket, wine store, etc.







B001 BOTTLE TAG WITH METAL CABLE

Frequency:8.2MHz/58KHz
Unit Dimension:50 Dia*33mm
Plastic Color:Black,White or Customized
Lock:Magnetic Locking
Lanyard Type:Metal Cable
Lanyard Length:175mm or Customized
Packing Details:300pcs/ctn,7.5kgs/ctn,
42*32*21cm



B001A BOTTLE TAG WITH METAL CABLE

Frequency:8.2MHz
Unit Dimension:51.6Dia*32.5mm
Plastic Color:Black,White or Customized
Lock:Magnetic Locking
Lanyard Type:Metal Cable
Lanyard Length:175mm or Customized
Packing Details:250pcs/ctn,10.0kgs/ctn,
40*30*28cm



B001B BOTTLE TAG WITH METAL CABLE

Frequency:8.2MHz/58KHz
Unit Dimension:52Dia*35.5mm
Plastic Color:Black,White or Customized
Lock:Magnetic Locking
Lanyard Type:Metal Cable
Lanyard Length:175mm or Customized
Packing Details:250pcs/ctn,8.0kgs/ctn,
38*32*21cm



B001C BOTTLE TAG WITH METAL CABLE

Frequency:8.2MHz/58KHz
Unit Dimension:54Dia*33mm
Plastic Color:Black,White or Customized
Lock:Magnetic Locking
Lanyard Type:Metal Cable
Lanyard Length:175mm or Customized
Packing Details:250pcs/ctn,8.0kgs/ctn,
38*32*21cm



B002 BOTTLE TAG WITH METAL CABLE

Frequency:8.2MHz
Unit Dimension:47*42*19mm
Plastic Color:Black,White or Customized
Lock:Magnetic Locking
Lanyard Type:Metal Cable
Lanyard Length:175mm or Customized
Packing Details:1000pcs/ctn,14.0kgs/ctn,
42*32*32cm



B004 BOTTLE TAG WITH METAL CABLE

Frequency:8.2MHz/58KHz
Unit Dimension:36*30*33mm
Plastic Color:Grey,White or Customized
Lock:Magnetic Locking
Lanyard Type:Metal Cable
Lanyard Length:175mm or Customized
Packing Details:500pcs/ctn,11.5kgs/ctn,
46*32*21cm



B008 BOTTLE TAG WITH PLASTIC CABLE

Frequency:8.2MHz
Unit Dimension:47*42*19mm
Plastic Color:Grey,White or Customized
Lock:Magnetic Locking
Lanyard Type:PA+Steel Ribbon
Lanyard Length:160mm
Packing Details:250pcs/ctn,8.0kgs/ctn,
38*32*21cm



B009 BOTTLE TAG WITH PLASTIC CABLE

Frequency:8.2MHz/58KHz
Unit Dimension:50 Dia*33mm
Plastic Color:Black,White or Customized
Lock:Magnetic Locking
Lanyard Type:PA+Steel Ribbon
Lanyard Length:160mm
Packing Details:500pcs/ctn,11.0kgs/ctn,
42*32*32cm



B010 B010 BOTTLE TAG WITH PLASTIC CABLE

Frequency:8.2MHz/58KHz
Unit Dimension:37*30*36mm
Plastic Color:Grey,White or Customized
Lock:Magnetic Locking
Lanyard Type:PA+Steel Ribbon
Lanyard Length:160mm
Packing Details:500pcs/ctn,12.0kgs/ctn,
40*30*28cm



B011 BOTTLE CAP

Frequency:8.2MHz/58KHz
Unit Dimension:Inner size 33mm Dia'
Outer size:54mm Dia' High 44mm
Material:ABS+PC
Lock:Magnetic Locking
Packing Details:300pcs/ctn,13.0kgs/ctn,
42*32*32cm



B012 BOTTLE CAP

Frequency:8.2MHz/58KHz
Unit Dimension:Inner size 41.5mm Dia'
Outer size:43.5mm Dia' High 80mm
Material:ABS+PC
Lock:Magnetic Locking
Packing Details:300pcs/ctn,14.0kgs/ctn,
58*40*34cm



B015 BOTTLE CAP

Frequency:8.2MHz/58KHz
Unit Dimension:Inner size 37mm Dia'
Outer size 56mm Dia' High 60mm
Material:PC
Lock:Magnetic Locking
Packing Details:300pcs/ctn,14.0kgs/ctn,
58*40*34cm



B018 BOTTLE CAP

Frequency:8.2MHz/58KHz
Unit Dimension:Inner size 35mm Dia'
Outer size:61mm Dia' High 59mm
Material:PC
Lock:Magnetic Locking
Packing Details:250pcs/ctn,15.6kgs/ctn,
45*32*32.5cm



B020 BOTTLE CAP

Frequency:8.2MHz/58KHz
Unit Dimension:103*73*42mm
Material:ABS
Lock:Magnetic Locking
Packing Details:180pcs/ctn,13.5kgs/ctn,
59*40*19cm

“BABY FORMULA MILK POWDER SECURITY TAG”




Milk powder has small size but high price,so it has been a high rate of theft in the store.

In particular,we have designed a variety of anti-theft buckle and anti-theft base for canned products.

Products covered by the disposable/reuseable CanGrip,Milk Tag with metal Cable,Alarm Milk Powder etc.

It provided a good anti-theft protection for common canned goods on the market (especially the milk powder)





What are the benefits of using milk powder Security Tag?

- Compatible with common milk powder cans
- Easily Removable & Fast Installation
- Keep your product elegant & Never damage to the product surface
- Hardness Surface & Delicate Shape & Easy Fixed & Firm Standing
- Publicize your brand clearly & Never cover the product message and manufacturing date

HOW TO USE?



Place can upward



Push to lock



To detacher



MS001 ROUND MILK TAG

Frequency: 8.2MHz/58KHz or Customized
Unit Dimension: 50 Dia*33mm
Plastic Color: Black, White or Customized
Lock: Magnetic Locking
Lanyard Type: Metal Cable
Lanyard Length: 480mm or Customized
Packing Details: 300pcs/ctn, 11.0kgs/ctn
50*33*23cm



MS002 TRIANGLE MILK TAG

Frequency: 8.2MHz/58KHz or Customized
Unit Dimension: 36*30*33mm
Plastic Color: Grey, White or Customized
Lock: Magnetic Locking
Lanyard Type: Metal Cable
Lanyard Length: 480mm or Customized
Packing Details: 300pcs/ctn, 10.0kgs/ctn
50*33*23cm



MS007 Small Square Milk Tag

Frequency: 8.2MHz
Unit Dimension: 42 Dia*18mm
Plastic Color: Grey, White or Customized
Lock: Magnetic Locking
Packing Details: 1000pcs/ctn, 9.0kgs/ctn,
46*32*21cm



MS006A (One-Alarm)

MS006B (Multi-Alarm)

Frequency: 8.2MHz/58KHz/8.2MHz&58KHz
Unit Dimension: 137 Dia*72mm
Lanyard Length: 200mm or Customized
Applications: Formula, Coffee and Cans
Lock: Magnetic Locking
Plastic Color: Grey or Customized
Packing Details: 72pcs/ctn, 15.5kgs/ctn,
58*40*34cm



MS009 TOP CANGRIP

Frequency: 8.2MHz/58KHz/8.2MHz&58KHz
Unit Dimension: 102 Dia*35mm
Applications: Formula, Coffee and Cans.
Lock: Magnetic Locking
Plastic Color: Grey or Customized



MS010 TOP CANGRIP

Frequency: 8.2MHz/58KHz/8.2MHz&58KHz
Unit Dimension: 128 Dia*35mm
Applications: Formula, Coffee and Cans
Lock: Magnetic Locking
Plastic Color: Grey or Customized



MS011 CANGRIP

Frequency: 8.2MHz/58KHz/8.2MHz&58KHz
Unit Dimension: 103.6 Dia*49mm
Applications: Formula, Coffee and Cans
(350g-400g)
Lock: Magnetic Locking
Plastic Color: Grey or Customized



Dragon guard your treasure.

Milk Powder Security Tag

PAGE

5-5



Disposable CanGrip

Suitable for 400g/800g

Frequency: 58KHz

Unit Dimension: 104 Dia*14mm(MS008A)

132 Dia*14mm(MS008B)

Applications: Formular, Coffee and Cans.

Plastic Color: Grey or Customized

Packing Details: 400pcs/ctn, 4.5kgs/ctn, 44*44*28cm(MS008A)

400pcs/ctn, 10.7kgs/ctn, 55.5*55.5*28cm(MS008B)



"Only choose the right"

SAFER



Safer box provides a high level of protection, with strong PC shell, good transparency, easy to secure and detach, which not only enhance the consumption experience, but also protect commodities effectively. Safer can be used for many commodities such as perfume, razor, cosmetic, CD/DVD, or battery etc. Easy to secure and detach.



Cosmetic Safer



S016 MULTIFUNCTION SAFER

Frequency: 8.2MHz/58KHz
Internal Dimension: (H*W*D)
200*150*50mm/7.87*5.91*1.97 in.
Material: PC+ABS
Lock: Slide-open Magnetic Locking
Packing Details: 50pcs/ctn, 16.0kgs/ctn,
63*45*40cm



S020 MULTIFUNCTION SAFER

Frequency: 8.2MHz/58KHz
Internal Dimension: (H*W*D)
161*151*40mm/6.34*5.95*1.58 in.
Material: PC+ABS
Lock: Slide-open Magnetic Locking
Packing Details: 50pcs/ctn, 12.8kgs/ctn,
58*40*34cm



S023 COSMETIC SAFER

Frequency: 8.2MHz/58KHz
Internal Dimension: (H*W*D)
150*120*45mm/5.91*4.72*1.77 in.
Material: PC+ABS
Lock: Slide-open Magnetic Locking
Packing Details: 50pcs/ctn, 11.5kgs/ctn,
45*38*50cm



Dragon guard your treasure.

PAGE

Safer

6-04



S024 Razor Safer

THE BEST YOU CAN GET




Frequency:8.2MHz/58KHz

Material:ABS+PC

Internal Dimension(H*W*D):120*110*40 mm
4.72*4.33*1.57 in.

Lock:Magnetic Locking

Packing Details:84pcs/ctn,14.5kg/ctn
54*40*34cm



S024 RAZOR SAFER

Frequency:8.2MHz/58KHz
Internal Dimension:(H*W*D)
120*110*40mm/4.72*4.33*1.57 in.
Material:PC+ABS
Lock:Slide-open Magnetic Locking
Packing Details:84pcs/ctn, 14.5kgs/ctn,
58*40*34cm



S025 COSMETIC SAFER

Frequency:8.2MHz/58KHz
Internal Dimension:(H*W*D)
170*135*55mm/6.69*5.31*2.17 in.
Material:PC+ABS
Lock:Slide-open Magnetic Locking
Packing Details:50pcs/ctn, 13.5kgs/ctn,
52*45*56cm



S026 COSMETIC SAFER

Frequency:8.2MHz/58KHz
Internal Dimension:(H*W*D)
225*115*65mm/8.86*4.53*2.56 in.
Material:PC+ABS
Lock:Slide-open Magnetic Locking
Packing details:28pcs/ctn, 9.1kgs/ctn,
58*40*34cm



S027 RAZOR SAFER

Frequency:8.2MHz/58KHz
Internal Dimension:(H*W*D)
120*110*30mm/4.72*4.33*1.18 in.
Material:PC+ABS
Lock:Slide-open Magnetic Locking
Packing Details:100pcs/ctn, 15.7kgs/ctn,
58*40*34cm



S033 PSP/PS VITA SAFER

Frequency:8.2MHz/58KHz
Internal Dimension:(H*W*D)
178*105*15mm/7.01*4.13*0.59 in.
Material:PC+ABS
Lock:Slide-open Magnetic Locking
Packing Details:50pcs/ctn, 8.0kgs/ctn,
43*26*25cm



S034 COSMETIC SAFER

Frequency:8.2MHz/58KHz
Internal Dimension:(H*W*D)
102*125*70mm/4.02*4.92*2.76 in.
Material:PC+ABS
Lock:Slide-open Magnetic Locking


S043 Single&Double

Ink Cartridges Safer



RETAIL SOLUTIONS:

Reduce shoplifting, Quick application, Loss prevention and increase profit.



S035 SINGLE & DOUBLE INK CARTRIDGES SAFER

Frequency:8.2MHz/58KHz
 Internal Dimension:(H*W*D)
 125*125*70mm/4.92*4.92*2.76 in.
 Material:PC+ABS
 Lock:Slide-open Magnetic Locking
 Packing Details:42pcs/ctn, 11.0kgs/ctn,
 58*40*34cm



S036 COSMETIC SAFER

Frequency:8.2MHz/58KHz
 Internal Dimension:(H*W*D)
 168*134*55mm/6.61*5.28*2.17 in.
 Material:PC+ABS
 Lock:Slide-open Magnetic Locking



S041 COSMETIC SAFER

Frequency:8.2MHz/58KHz
 Internal Dimension:(H*W*D)
 92*70*70mm/3.62* 2.76*2.76 in.
 Material:PC+ABS
 Lock:Magnetic Locking
 Packing Details: 100pcs/ctn, 13.5kgs/ctn,
 44*41*41cm



S042 COSMETIC SAFER

Frequency:8.2MHz/58KHz
 Internal Dimension:(H*W*D)
 192*69*69mm/7.56* 2.72*2.72 in.
 Material:PC+ABS
 Lock:Magnetic Locking
 Packing Details:52pcs/ctn, 10.675kgs/ctn,
 58*40*34cm




S043 INK CARTRIDGE SAFER

Frequency:8.2MHz/58KHz
 Internal Dimension:(H*W*D)
 125*125*50mm/ 5*1.96*4.92 in.
 Material:PC+ABS
 Lock:Magnetic Locking
 Packing Details:54pcs/ctn, 11.5kgs/ctn,
 58*40*34cm



S044 TOOTHPASTE SAFER

Frequency:8.2MHz/58KHz
 Internal Dimension:(H*W*D)
 247*60*50mm/9.72* 2.36*1.97 in.
 Material:PC+ABS
 Lock:Magnetic Locking
 Packing Details:60pcs/ctn, 14kgs/ctn,
 53*43*36cm



S045 COSMETIC SAFER

Frequency:8.2MHz/58KHz
Internal Dimension:(H*W*D)
140*73*52mm/5.5* 2.87*2.05 in.
Material:PC+ABS
Lock:Magnetic Locking
Packing Details:72pcs/ctn, 10.7kg/ctn,
58*40*34cm



S046 COSMETIC SAFER

Frequency:8.2MHz/58KHz
Internal Dimension:(H*W*D)
168*134*55mm/6.61*5.28*2.17 in.
Material:PC+ABS
Lock:Slide-open Magnetic Locking



S050

Frequency:8.2MHz/58KHz
Internal Dimension:(H*W*D)
204*155*84mm/8.03* 6.10*3.31 in.
Material:PC+ABS
Lock:Magnetic Locking
Packing Details:20pcs/ctn,8.0kgs/ctn
42*25*26cm



S051

Frequency:8.2MHz/58KHz
Internal Dimension:(H*W*D)
200*110*85mm/7.87* 4.33*3.35 in.
Material:PC+ABS
Lock:Magnetic Locking
Packing Details:50pcs/ctn, 15.0kgs/ctn
53*46*36cm




S052 WET WIPES SAFER

Frequency:8.2MHz/58KHz
Internal Dimension:(H*W*D)
240*140*50mm/9.45* 5.51*1.97 in.
Material:PC+ABS
Lock:Magnetic Locking
Packing Details:50pcs/ctn, 17.0kgs/ctn
53*51*45.5cm



S053

Frequency:8.2MHz/58KHz
Internal Dimension:(H*W*D)
250*100*100mm/9.84* 3.94*3.94 in.
Material:PC+ABS
Lock:Magnetic Locking
Packing Details:30pcs/ctn, 19.0kgs/ctn
58*40.5*54cm



S054 VACUUM CUP SAFER

Frequency:8.2MHz/58KHz
Internal Dimension:(H*W*D)
250*75*65mm/9.84* 2.95*2.56 in.
Material:PC+ABS
Lock:Magnetic Locking
Packing Details:50pcs/ctn,11.7kgs/ctn
53*51.5*45.5cm



S056

Frequency:8.2MHz/58KHz
Internal Dimension:(H*W*D)
155*110*85mm/ 6.1*4.33*3.35 in.
Material:PC+ABS
Lock:Magnetic Locking
Packing Details:50pcs/ctn,14.0kgs/ctn
58*44*37cm



S057

Frequency:8.2MHz/58KHz
Internal Dimension:(H*W*D)
164*150*82mm/6.46* 5.9*3.23 in.
Material:PC+ABS
Lock:Magnetic Locking
Packing Details:50pcs/ctn,18.0kgs/ctn
76*43*36cm



S058

Frequency:8.2MHz/58KHz
Internal Dimension:(H*W*D)
169*115*65mm/6.65* 4.53*2.6 in.
Material:PC+ABS
Lock:Magnetic Locking
Packing Details:50pcs/ctn,14.0kgs/ctn
65*42*32cm



S059

Frequency:8.2MHz/58KHz
Internal Dimension:(H*W*D)
225*115*65mm/8.86* 4.53*2.6 in.
Material:PC+ABS
Lock:Magnetic Locking
Packing Details:50pcs/ctn,17.0kgs/ctn
65*52*42cm

CHEWING GUM SAFER



Frequency:8.2MHz/58KHz
Material:ABS+PC
Lock:Magnetic Locking



Internal Dimension: 68Dia'*85mm (S060)
68Dia'*115mm (S062)
Packing Details: 100pcs/ctn, 10kg /ctn,53*46*36cm (S060)
100pcs/ctn, 12kg /ctn,53*46*46cm (S062)



S060 CHEWING GUM SAFER

Frequency:8.2MHz/58KHz
Internal Dimension:(H*W*D)
68 Dia**85mm/2.68*3.35 in.
Material:PC+ABS
Lock:Magnetic Locking
Packing Details:100pcs/ctn,10.0kgs/ctn
53*46*36cm



S062

Frequency:8.2MHz/58KHz
Internal Dimension:(H*W*D)
68 Dia**115mm/2.73*4.53 in.
Material:PC+ABS
Lock:Magnetic Locking
Packing Details:100pcs/ctn,12.0kgs/ctn
53*46*46cm



S063

Frequency:8.2MHz/58KHz
Internal Dimension:(H*W*D)
139*90*62mm/5.47*3.54*2.44 in.
Material:PC+ABS
Lock:Magnetic Locking



S061

Frequency:8.2MHz/58KHz
Internal Dimension:(H*W*D)
105*65**22mm/4.13*2.56*0.87 in.
Material:PC+ABS
Lock:Magnetic Locking
Packing Details:100pcs/ctn,8.0kgs/ctn
61*35*16.5cm



S064

Frequency:8.2MHz/58KHz
Internal Dimension:(H*W*D)
133Dia**180mm/5.24*7.1in.
Material:PC+ABS
Lock:Magnetic Locking
Packing Details:20pcs/ctn,8.0kgs/ctn
78*34*45cm



CD/DVD Safer



S004 SINGLE DVD SAFER

Frequency: 8.2MHz/58KHz
Internal Dimension: (H*W*D)
192*145*17mm/7.56*5.71*0.67 in.
Material: PC+ABS
Lock: Slide-open Magnetic Locking
Packing Details: 100pcs/ctn, 16.0kgs/ctn,
53*45*33cm



S017 DOUBLE CD/USBSAFER

Frequency: 8.2MHz/58KHz
Internal Dimension: (H*W*D)
130*144*26mm/5.12*5.67*1.02 in.
Material: PC+ABS
Lock: Slide-open Magnetic Locking
Packing Details: 100pcs/ctn, 15.0kgs/ctn,
58*40*34cm



S031 DOUBLE DVD SAFER

Frequency: 8.2MHz/58KHz
Internal Dimension: (H*W*D)
192*143*33mm/7.56*5.63*1.30 in.
Material: PC+ABS
Lock: Slide-open Magnetic Locking
Packing Details: 60pcs/ctn, 17.0kgs/ctn,
63*44*32cm



S032 TRIPLE DVD SAFER

Frequency: 8.2MHz/58KHz
Internal Dimension: (H*W*D)
192*143*54mm/7.56*5.63*2.13 in.
Material: PC+ABS
Lock: Slide-open Magnetic Locking
Packing Details: 40pcs/ctn, 12.0kgs/ctn,
60*43*30cm



S037 SINGLE CD SAFER

Frequency: 8.2MHz/58KHz
Internal Dimension: (H*W*D)
130*144*14mm/5.12*5.67*0.55 in.
Material: PC+ABS
Lock: Slide-open Magnetic Locking
Packing Details: 110pcs/ctn, 22.0kgs/ctn,
66*45*32cm



S038 TRIPLE CD SAFER

Frequency: 8.2MHz/58KHz
Internal Dimension: (H*W*D)
130*144*37mm/5.12*5.67*1.45 in.
Material: PC+ABS
Lock: Slide-open Magnetic Locking
Packing Details: 110pcs/ctn, 22.0kgs/ctn,
66*45*32cm

USE OF SAFER





Hook Safer



S006 SOAP SAFER

Frequency: 8.2MHz/58KHz
Internal Dimension: (H*W*D)
53*119*51mm/2.09*4.68*2.01 in.
Material: ABS+PC
Lock: Magnetic Locking
Packing Details: 100pcs/ctn, 12.0kgs/ctn,
44*37*51cm



S007 SINGLE BATTERY SAFER

Frequency: 8.2MHz/58KHz
Internal Dimension: (H*W*D)
79*110*19mm/3.11*4.33*0.75 in.
Material: ABS+PC
Lock: Magnetic Locking
Packing Details: 100pcs/ctn, 8.0kgs/ctn,
58*37*24.5cm



S008 Double Battery Safer

Frequency: 8.2MHz/58KHz
Internal Dimension: (H*W*D)
80*110*32mm/3.15*4.33*1.26 in.
Material: ABS+PC
Lock: Magnetic Locking
Packing Details: 100pcs/ctn, 10.0kgs/ctn,
44.5*26.5*58.5cm



S009 MULTIFUNCTION SAFER

Frequency: 8.2MHz/58KHz
Internal Dimension: (H*W*D)
162*119*27mm/6.38*4.68*1.06 in.
Material: ABS+PC
Lock: Magnetic Locking
Packing Details: 100pcs/ctn, 17.0kgs/ctn,
53*37*63cm



S015 MULTIFUNCTION SAFER

Frequency: 8.2MHz/58KHz
Internal Dimension: (H*W*D)
151*119*43mm/5.94*4.69*1.69 in.
Material: ABS+PC
Lock: Magnetic Locking
Packing Details: 100pcs/ctn, 16.5kgs/ctn,
56*40*63cm



S018 MULTIFUNCTION SAFER

Frequency: 8.2MHz/58KHz
Internal Dimension: (H*W*D)
170*124*50mm/6.69*4.88*1.97 in.
Material: ABS+PC
Lock: Magnetic Locking

Detacher





***D**etacher is a necessary product for unlocking the hard tags. There are two kinds: magnetic detacher and mechanical detacher. Both the shape and the magnetic force can be customized. Different detachers with different magnetic force correspond to different tags. Need to be choosed according to the shape and the lock of the hard tags.*



D003 Golf Detacher

Unit Dimension: 73 Dia' * 33mm

Magnetic Force: 8000GS/11000GS

Unit Packing Details: 80*82*50mm/pc

Packing Details: 50pcs/ctn, 21.0kgs/ctn, 41*29*20cm





Dragon guard your treasure.

PAGE

Detacher

7-4



D001 COUNTERTOP DETACHER

Unit Dimension:75 Dia*22mm
Magnetic Force:5000GS
Unit Packing Details:75*75*32mm/pc
Packing Details:100pcs/ctn,20.0kgs/ctn,
43*34*21cm



D002 CONE DETACHER

Unit Dimension:75 Dia*22mm
Magnetic Force:3000-6000GS
Unit Packing Details:75*75*32mm/pc
Packing Details:100pcs/ctn,20.0kgs/ctn,
43*34*21cm



D003 GOLF DETACHER

Unit Dimension:73 Dia*33mm
Magnetic Force:8000GS/11000GS
Color:Silver/Black
Packing Details:50pcs/ctn,21.0kgs/ctn,
41*29*20cm



D005 UNIVERSAL DETACHER

Unit Dimension:73 Dia*35mm
Magnetic Force:≥11000GS
Unit Packing Details:80*82*50mm/pc
Packing Details:50pcs/ctn,16.5kgs/ctn,
45*43*15cm



D006 PENCIL TAG DETACHER

Unit Dimension:85 Dia*50mm
Magnetic Force:8000GS/11000GS
Unit Packing Details:80*80*50mm/pc
Packing Details:50pcs/ctn,21.0kgs/ctn,
41*29*20cm



D007 GOLF DETACHER

Unit Dimension:74 Dia*33mm
Magnetic Force:8000GS/11000GS
Unit Packing Details:80*84*50mm/pc
Packing Details:50pcs/ctn,19.0kgs/ctn,
41*29*20cm



D008 CONE DETACHER

Unit Dimension:75 Dia*45mm
Magnetic Force:8000GS/11000GS
Unit Packing Details:80*80*52mm/pc
Packing Details:50pcs/ctn,21.0kgs/ctn,
41*29*20cm



D009 CONE DETACHER

Unit Dimension:75 Dia*45mm
Magnetic Force:8000GS/11000GS
Unit Packing Details:80*80*50mm/pc
Packing Details:50pcs/ctn,20.0kgs/ctn,
41*29*20cm



D010

Unit Dimension:74 Dia*45mm
Magnetic Force:7500GS/9000GS/12000GS
Packing Details:50pcs/ctn,22.0kgs/ctn,
40*28*17cm



Dragon guard your treasure.

PAGE

Detacher

7-05

With me



All done!

Universal Detacher



Spider Tag



Golf Tag



Safer



CanGrip



D011 FLAT GOLF DETACHER

Unit Dimension: 72 Dia*35mm
Magnetic Force: 8000GS/11000GS
Unit Packing Details: 82*80*52mm/pc
Packing Details: 50pcs/ctn, 19.0kgs/ctn,
41*29*20cm



D012 KEY UNLOCK

Unit Dimension: 89 Dia*35mm
Magnetic Force: 8000GS
Unit Packing Details: 80*80*50mm/pc
Packing Details: 50pcs/ctn, 24.0kgs/ctn,
41*29*20cm



D015 Pencil Tag Detacher

Unit Dimension: 74 Dia*36mm
Magnetic Force: 8000GS/11000GS
Unit Packing Details: 82*82*52mm/pc
Packing Details: 50pcs/ctn, 24.0kgs/ctn,
41*29*20cm



D021 STOPLOCK DETACHER

Unit Dimension: 21 Dia*57mm
Magnetic Force: 5000GS
Packing Details: 50pcs/ctn, 3.0kgs/ctn,
18*15*8cm



D021B

Unit Dimension: 28 Dia*48mm
Magnetic Force: 8000GS
Unit Packing Details: 60*43*40mm/pc



D021C

Unit Dimension: 40 Dia*52mm
Magnetic Force: 5000GS
Unit Packing Details: 60*43*40mm/pc



D022 EAS DETACHER

Unit Dimension: 24*120*13mm
Magnetic Force: 3000GS
Packing Details: 50pcs/ctn, 3.2kgs/ctn,
31*24.5*8cm



D025

Unit Dimension: 40 Dia*45mm
Magnetic Force: 5000GS/10000GS
Unit Packing Details: 75*75*50mm/pc
Packing Details: 50pcs/ctn, 19.0kgs/ctn,
40*28*17cm



D026

Unit Dimension: 40 Dia*45mm
Magnetic Force: 5000GS/10000GS
Unit Packing Details: 75*75*50mm/pc
Packing Details: 50pcs/ctn, 19.0kgs/ctn,
40*28*17cm



D030

Unit Dimension:94 Dia*36mm
Magnetic Force:6500GS
Unit Packing Details:98*98*35mm/pc
Packing Details:50pcs/ctn,32.0kgs/ctn,
41.5*25.5*23cm



D032

Unit Dimension:60 Dia*30mm
Magnetic Force:10000GS
Unit Packing Details:75*75*50mm/pc
Packing Details:50pcs/ctn,19.0kgs/ctn,
40*28*17cm



D034

Unit Dimension:75 Dia*45mm
Magnetic Force:8000GS
Unit Packing Details:75*75*50mm/pc
Packing Details:50pcs/ctn,21.0kgs/ctn,
40*28*17cm



D035

Unit Dimension:64 Dia*38.5mm
Magnetic Force:12500GS
Unit Packing Details:75*75*50mm/pc
Packing Details:50pcs/ctn,23.0kgs/ctn,
40*28*17cm



D038

Unit Dimension:50 Dia*72mm
Magnetic Force:≥10000GS
Unit Packing Details:80*80*52mm/pc
Packing Details:50pcs/ctn,15.0kgs/ctn



D041

Unit Dimension:60 Dia*35mm
Magnetic Force:10000GS
Unit Packing Details:75*75*50mm/pc
Packing Details:50pcs/ctn,20.0kgs/ctn,
40*28*17cm

SUPER MAGNETIC DETACHER(14000GS-16000GS)



D019 HYPER DETACHER

Unit Dimension:78 Dia*51mm
Magnetic Force:≥14000GS
Unit Packing Details:1.06kgs/pc,90*90*60mm/pc



D017 FLAT HYPER DETACHER

Unit Dimension:85 Dia*50mm
Magnetic Force:≥16000GS
Unit Packing Details:0.96kgs/pc,90*90*760mm/pc
Packing Details:20pcs/ctn,21.0kgs/ctn,46*31*20cm



D017 Flat Hyper Detacher

Detacher with key



D014 PLASTIC COATED DETACHER WITH LID

Unit Dimension:74 Dia*86mm
Magnetic Force:5000GS/8000GS
Material:Plastic
Plastic Color:Black or Customized
Unit Packing Details:80*80*50mm/pc
Packing Details:50pcs/ctn,8.0kgs/ctn,40*30*25cm



D016 FLAT GOLF DETACHER WITH MAGNETIC LID

Unit Dimension:69 Dia*30mm
Magnetic Force:11000GS
Unit Packing Details:80*80*52mm/pc
Packing Details:50pcs/ctn,16.5kgs/ctn,41*29*20cm



D018 PLASTIC COATED DETACHER WITH LID

Unit Dimension:84 Dia*92mm
Magnetic Force:11000GS
Material:Plastic
Plastic Color:Black or Customized
Unit Packing Details:88*84*75mm/pc
Packing Details:50pcs/ctn,22.0kgs/ctn,45*32*30cm



D024 Detacher

Unit Dimension:69Dia*44mm
Magnetic Force:11000GS
Unit Packing Details:80*80*52mm/pc
Packing Details:50pcs/ctn,16.5kgs/ctn,41*29*20cm



D039 COUNTERTOP OR RECESSED DETACHER

Unit Dimension:102 Dia*44mm
Magnetic Force:9000GS
Material:Plastic
Plastic Color:Black or Customized
Weight:0.35kg/pc



RF & AM LABEL

***E** AS soft label, can be
sticked inside or outside
products' package.*

*When people pass the EAS
system, the soft label without
been deactivated by cashier,
the system will alarm to
draws attention to staff .*

*The soft label is very little and
exquisite. Not only won't
cover the commodity
information, but also with
anti-theft function, which is
make customers feel good
when they shopping.*

RF Label



Product Specification

Label Size (MD×TD)	40*40mm
Substrate	20μm
Inductor Side	Aluminium,60μm
Capacitor Side	Aluminium,20μm
Max. Thickness	≈200μm
Shelf life of 2 years if stored at	10°to 25°C(50°to 70°F) and 35% to 65% RH
Service Temperature	-40°to 60°C(-40°to 140°F)
Application Temperature	above 0°(32°F)
Resonance Frequency	8.2MHz(±3%)
Effective Signal Volume	≥2000cm3
Quality Factor	Q≥70
Deactivation Fieldstrength	0.9A/m—1.5A/m
Operating Distance	up to 1.6m(5.2ft.)in Gate Configuration
Standard Packaging Format	Label facing out
Quantity per Roll	1000pcs
Roll Length	≈42.5m
Roll Diameter outer	φ<145mm
Cardboard Core Diameter inner	76.2mm
Box Packaging(Rolls)	20 Rolls
Box Packaging(Labels)	20000 Labels
Box Gross weight	10.5kg
Box Dimension	29*29*23cm

Advantage

- Strong adhesive, neat and smooth appearance, hard to be torn off from products.
- High Q value and 9 laps coil provide RF Label a super-wide detecting distance.
- Easy decoding. Match with Dragon Guard RF Deactivator with simple operation
- Strict production process. Defective rate is 0.03%.
- Complete specification ranges, provide Dragon Guard RF Label a larger selection of color, size and printing plate.





RL25*28

Barcode/White/Black/Transparent Thermal Paper Customized

Frequency:8.2MHz($\pm 3\%$)
Cardboard Core Diameter Inner:76.2mm
Inter Space:2-3mm
Quality Factor:Q ≥ 60
Packing Details:20000pcs/ctn,6.0kgs/ctn,
26*26*20cm(1000pcs/roll)



RL30*30

Barcode/White/Black/Transparent Thermal Paper Customized

Frequency:8.2MHz($\pm 3\%$)
Cardboard Core Diameter Inner:76.2mm
Inter Space:2-3mm
Quality Factor:Q ≥ 60
Packing Details:20000pcs/ctn,7.0kgs/ctn,
27*27*19cm(1000pcs/roll)



RL30*40

Barcode/White/Black/Transparent Thermal Paper Customized

Frequency:8.2MHz($\pm 3\%$)
Cardboard Core Diameter Inner:76.2mm
Inter Space:2-3mm
Quality Factor:Q ≥ 80
Packing Details:20000pcs/ctn,9.0kgs/ctn,
27*27*23cm(1000pcs/roll)



RL40*40

Barcode/White/Black/Transparent Thermal Paper Customized

Frequency:8.2MHz($\pm 3\%$)
Cardboard Core Diameter Inner:76.2mm
Inter Space:2-3mm
Quality Factor:Q ≥ 80
Packing Details:20000pcs/ctn,11.0kgs/ctn,
29*29*23cm(1000pcs/roll)



RL30*50

Barcode/White/Black/Transparent Thermal Paper Customized

Frequency:8.2MHz($\pm 3\%$)
Cardboard Core Diameter Inner:76.2mm
Inter Space:2-3mm
Quality Factor:Q ≥ 85
Packing Details:20000pcs/ctn,15.0kgs/ctn,
32*32*27cm(1000pcs/roll)



RL47*50

Barcode/White/Black/Transparent Thermal Paper Customized

Frequency:8.2MHz($\pm 3\%$)
Cardboard Core Diameter Inner:76.2mm
Inter Space:2-3mm
Quality Factor:Q ≥ 85
Packing Details:20000pcs/ctn,15.0kgs/ctn,
32*32*27cm(1000pcs/roll)



RL25*25 Transparent Label

Barcode/White/Black/Transparent Thermal Paper Customized

Frequency:8.2MHz($\pm 3\%$)
Cardboard Core Diameter Inner:76.2mm
Inter Space:2-3mm
Quality Factor:Q ≥ 70
Packing Details:20000pcs/ctn,6.0kgs/ctn,
26*26*20cm(1000pcs/roll)



RL46*57 Insert cosmetic label

Barcode/White/Black/Transparent Thermal Paper Customized

Frequency:8.2MHz($\pm 3\%$)
Cardboard Core Diameter Inner:76.2mm
Inter Space:2-3mm
Quality Factor:Q ≥ 85
Packing Details:10000pcs/ctn,15.4kgs/ctn,
24*26*33cm(1000pcs/roll)

Round Label



R33

Barcode/White/Black/Transparent Thermal Paper Customized

Frequency: 8.2MHz($\pm 3\%$)
 Cardboard Core Diameter Inner: 76.2mm
 Inter Space: 2-3mm
 Quality Factor: $Q \geq 60$
 Packing Details: 20000pcs/ctn, 7.0kgs/ctn,
 27*27*19cm(1000pcs/roll)



R40

Barcode/White/Black/Transparent Thermal Paper Customized

Frequency: 8.2MHz($\pm 3\%$)
 Cardboard Core Diameter Inner: 76.2mm
 Inter Space: 2-3mm
 Quality Factor: $Q \geq 80$
 Packing Details: 20000pcs/ctn, 11.0kgs/ctn,
 29*29*23cm(1000pcs/roll)




R50

Barcode/White/Black/Transparent Thermal Paper Customized

Frequency: 8.2MHz($\pm 3\%$)
 Cardboard Core Diameter Inner: 76.2mm
 Inter Space: 2-3mm
 Quality Factor: $Q \geq 85$
 Packing Details: 20000pcs/ctn, 15.0kgs/ctn,
 32*32*27cm(1000pcs/roll)

Special Label



RED HEART LABEL

Frequency: 8.2MHz($\pm 3\%$)
 Cardboard Core Diameter Inner: 76.2mm
 Inter Space: 2-3mm
 Quality Factor: $Q \geq 70$
 Packing Details: 20000pcs/ctn, 15.5kgs/ctn,
 31*31*29cm(1000pcs/roll)



SPECIAL ROUND LABEL

Frequency: 8.2MHz($\pm 3\%$)
 Cardboard Core Diameter Inner: 76.2mm
 Inter Space: 2-3mm
 Quality Factor: $Q \geq 85$
 Packing Details: 20000pcs/ctn, 11.0kgs/ctn,
 29*29*23cm(1000pcs/roll)



SPECIAL SQUARE LABEL

Frequency: 8.2MHz($\pm 3\%$)
 Cardboard Core Diameter Inner: 76.2mm
 Inter Space: 2-3mm
 Quality Factor: $Q \geq 85$
 Packing Details: 20000pcs/ctn, 11.0kgs/ctn,
 29*29*23cm(1000pcs/roll)



COSMETIC LABEL
20*65MM

Transparent Customized

Frequency:8.2MHz($\pm 3\%$)
Cardboard Core Diameter Inner:76.2mm
Packing Details:20000pcs/ctn,8.5kgs/ctn,
32*32*13.5cm(1000pcs/roll)



Insertable Cosmetic Label
20*78MM

Transparent Customized

Frequency:8.2MHz($\pm 3\%$)
Cardboard Core Diameter Inner:76.2mm
Packing Details:20000pcs/ctn,11.5kgs/ctn,
32*32*27cm



SHOE LABEL
40*58MM

Transparent Customized

Frequency:8.2MHz($\pm 3\%$)
Cardboard Core Diameter Inner:76.2mm
Packing Details:20000pcs/ctn,12.0kgs/ctn,
32*32*27cm(1000pcs/roll)



JEWELLERY LABEL
40*163MM

White Customized

Frequency:8.2MHz($\pm 3\%$)
Cardboard Core Diameter Inner:76.2mm
Packing Details:5000pcs/ctn,7.5kgs/ctn,
42*21*27cm(500pcs/roll)



JEWELLERY LABEL
30*105MM

White Customized

Frequency:8.2MHz($\pm 3\%$)
Cardboard Core Diameter Inner:76.2mm
Packing Details:10000pcs/ctn,8.0kgs/ctn,
26*26*32cm(500pcs/roll)

Customized Label

All the tags can be customized according to different requirements by distributors or retailers such as the logo of customers, customized pattern and different sizes.


Below are the cases we made for our customers:



Customized Size




25*28mm




30*47mm



32*57mm



40*47mm



43*45mm



40*70mm

AM Label



Product Specification

DR is a paste-type anti-theft label, composed of two pieces of vibration and a high-performance substrate.

Deactivable & Non-Deactivable both available

White, barcode, black, customized logo are available. You can choose by sheet or roll.

Deactivated by AM deactivator.

This product is suitable for: clothing, shoes and hats, bags, and the packaging of daily necessities / food and so on.

Advantage

- Have less influence than RF label
- Small label, easy to stick on small items
- Reactivable
- White, black, barcode, customized logo are available

Environmental Constraints

- Shelf Life: Two years from date of manufacture when labels are stored between 15-32 (60°F -90°F) and 30-80%RH.
- Temperature: Maximum storage temperature not to exceed 50 (122°F) for 96 hours at 80% RH.
- Humidity: Unaffected by 80% humidity at 50(122°F), up to 96 hours

Notice

Do not place DR label above the important words, such as product ingredients, methods of use, warning statements, dimensions and barcodes, production dates, and etc..

DR label with super glue, if you force to tear off it, the surface of merchandise will be damaged. Therefore, should consider of this point in advance if you want to use it for gift, leather products, books and others.




DR-ROLL-WHITE

Frequency:58KHz
Label Length:45mm±0.2mm
Label Width:10.8mm±0.2mm
Label Thickness (Excluding Base Material):1.74mm
Label Thickness (Including Base Material): 1.83mm
Base Material Width 48.64mm±0.75mm
The Distance Of Two Labels 0.5mm±0.5mm
Cardboard Core Diameter Inner 76.2mm
PCS Per Roll 3000pcs or 5000pcs
Packing Details:15000pcs/ctn,9.5kgs/ctn,
35*35*28cm



DR-ROLL-BARCODE



DR-SHEET-BARCODE

Frequency:58KHz
Label Length:45mm±0.2mm
Label Width:10.8mm±0.2mm
Label Thickness (Excluding Liner) Maximum:2.0mm
Label Thickness(Including Liner)Maximum:2.5mm
PCS Per Sheet:108pcs
Packing Details:5000pcs/ctn,3.5kgs/ctn,
29*21*12cm



DR-SHEET-WHITE



DR-SHEET-BLACK

Frequency:58KHz
Label Length:45mm±0.2mm
Label Width:10.8mm±0.2mm
Label Thickness (Excluding Liner) Maximum:2.0mm
Label Thickness(Including Liner) Maximum:2.5mm
PCS Per Sheet:108pcs
Packing Details:5000pcs/ctn,3.5kgs/ctn,
29*21*12cm



DR-SHEET-ORANGE



WATERPROOF LABEL

Frequency:58KHz
Label Length:50mm±0.2mm
Label Width:14.5mm±0.2mm
Label Thickness(Including Liner) Maximum:2.3mm
PCS Per Sheet:108pcs
Packing Details:5000pcs/ctn,3.5kgs/ctn,
29*21*12cm



WATERPROOF LABEL



CUSTOMIZED LABEL

Frequency:58KHz
Label Length:68.73mm±0.2mm
Label Width:33.93mm±0.2mm
Label Thickness (Excluding Liner) Maximum:1.9mm
Label Thickness(Including Liner) Maximum:2.0mm
PCS Per Roll:500pcs
Packing Details:2000pcs/ctn,6.0kgs/ctn,30*30*38cm




CUSTOMIZED LABEL



INSERTABLE LABEL

Frequency:58KHz
Label Length:48mm±0.2mm
Label Width:10.8mm±0.2mm
Label Thickness (Excluding Liner) Maximum:2.0mm
Label Thickness(Including Liner) Maximum:2.5mm
PCS Per Sheet:75pcs
Packing Details:2500pcs/ctn,2.2kgs/ctn,27*23*9cm



INSERTABLE LABEL



JEWELLERY-DR LABEL

Frequency:58KHz
Label Length 58mm±0.2mm
Label Width 10.8mm±0.2mm
Label Thickness (Excluding Liner) Maximum:1.9mm
Label Thickness(Including Liner) Maximum:2.0mm
PCS Per Bag:1000pcs
Packing Details:12000pcs/ctn,15.8kgs/ctn,
57*33.5*22cm



JEWELLERY-DR LABEL



DR-FOOD-001/002/003

Frequency:58KHz
Label Length:60mm±0.2mm
Label Width:20mm±0.2mm
PCS Per Bag:1000pcs
Packing Details:4000pcs/ctn,3.0kgs/ctn,
42.5*29*22cm



WATERPROOF LABEL



“SOURCE TAG”

Ensure security from the very beginning.



Like the name, sourcing tags are tags attached to commodities at beginning manufacture. It is widely adopted by large-scale retail business and chain business. Sourcing tags can help to solve the theft and fleeing problems from production, stocking, retail to inventory. By this way, labor cost and material resources can be saved a lot and business operating cost saved as well. For now, sourcing tags are widely used for anti-theft. Theft and shoplifting often happens in supermarket and chain stores, and to solve this problem, attaching tags is very necessary. While putting tag to each commodity is a time taking work, so the market adopts the way that putting tags onto commodities at beginning manufacture. In such way, market can save operating cost and also realize tag synchronization.



FULL CUSTOMIZATION: MATERIAL, SIZE, THE SEALING WAY, COLOR, PRINTING, THE RF LABEL, AM LABEL, RFID CARD

NORMAL SIZE: RF: 4.5*6; 5*6; 5*6.5; 5*5*6.5CM AM: 1.8*6; 2*6.5; 2*7; 2.2*7CM

THE SEALING WAY: HOT CUTTING; EMBOSSED



WL-AM-PAPER-001



WL-RFID-001



SEALED: WL-AM-001
NON-SEALED: WL-AM-002



SEALED: WL-RF-001
NON-SEALED: WL-RF-002



T035 R50

Frequency:8.2MHz
Unit Dimension:50 Dia"*19mm
Plastic Color:Black,White or Customized
Lock:Magnetic Locking
Packing Details:1000pcs/ctn,10.5kgs/ctn,
50*33*23cm



T035 R50



T029 TOWEL TAG

Frequency:58KHz
Unit Dimension:10.2 Dia"*42.67mm
Plastic Color:Grey,Black or Customized
Packing Details:
3000pcs/ctn,11.0kgs/ctn,43*29*20cm
5000pcs/ctn,17.0kgs/ctn,46*34*29cm



T029 TOWEL TAG





Display security is a kind of anti-theft product, which has the alarm function, is controlled by remote control, and with rechargeable lithium battery.

Commonly, it is used to protect smart phone, pad, smart watch and other electronic products.

The advantages of fashionable outlook, easy operation, beautiful displayed enhance the shopping experience.

It is particularly suitable for digital shopping mall, brand stores, mobile business hall and other stores which have high requirements on display.



DSP1001

Unit Dimension:103*67*105mm
Material:ABS
Color:White
Apply:Mobile Phone
Packing Details:56pcs/ctn,19.5kgs/ctn,
60*48*34cm



DSP1002

Unit Dimension:103*67*146mm
Material:ABS
Color:White
Apply:Mobile Phone
Packing Details:45pcs/ctn,17.0kgs/ctn,
60*48*34cm



DSP2001

Unit Dimension:108*46*160mm
Material:EPS
Color:White
Apply:Mobile Phone
Packing Details:25pcs/ctn,7.5kgs/ctn,
56*43*20cm



DSP5001

Unit Dimension:70*65*107mm
Material:ABS
Color:White
Apply:Mobile/Watch/Camera/PAD etc.
Packing Details:56pcs/ctn,19.5kgs/ctn,
60*48*34cm



DSP5002

Unit Dimension:75*70*85mm
Material:ABS
Color:White
Apply:Mobile Phone
Packing Details:50pcs/ctn,12.0kgs/ctn,
65*45*18cm



DSP5005

Unit Dimension:59*63*63mm
Material:ABS+PMMA+Aluminium Alloy
Color:White
Apply:Mobile Phone
Packing Details:80pcs/ctn,17.0kgs/ctn,
75*33*29cm



DSP6002

Unit Dimension:75 Dia*130mm
Material:ABS
Color:White
Apply:Mobile Phone
Packing Details:50pcs/ctn,11.5kgs/ctn,
65*45*25cm



DSP6003

Unit Dimension:52*80mm
Material:ABS+VioGi Aluminum
Color:White
Apply:Mobile Phone



DSPM1602

Unit Dimension:45*60*80mm
Material:ABS+VioGi Aluminum
Color:White/Silvery
Apply:Mobile Phone
Packing Details:80pcs/ctn,17.0kgs/ctn,
75*33*29cm



Dragon guard your treasure.



DSP5006

Level security

1 Lift the bottom

2 Move phone
from the up

3 Unplug the cable

4 Cut off the
steel cable

5 Disassemble
up head

- Put down the up head--charge;pick up the up head--stop charge
- Power on--base power idicator light keep lit; Alarm--base power idicator light keep lit and flash.
- A hole in the back of the base, open--the up head can be stretched, close-the up head can't be stretched.

Product Specification

Unit Dimensiont:57*51.5*109mm

Material:ABS

Color:White

Apply:Mobile Phone/PAD

Packing Details:50pcs/ctn,19.19kgs/ctn,
60*48*34cm



PAD1001

Unite Dimension:144*119*57mm
Material:Acrylic+ABS
Color:White
Apply:PAD
Packing Details:30pcs/ctn,11.46kgs/ctn,
60*48*34cm



PAD1002

Unite Dimension:132*111*150mm
Material:Acrylic+ABS
Color:White,Black
Apply:PAD
Packing Details:20pcs/ctn,8.5kgs/ctn,
75*33*29cm



PAD3001

Unite Dimension:140*110*100mm
Material:Metal+ABS
Color:White or Customized
Apply:PAD
Packing Details:22pcs/ctn,11.0kgs/ctn,
52.5*39*27cm



LP001 LAPTOP LOCK

Unite Dimension:56*18*21mm
Weight:41.8g
Cabel Diameter:5 Dia'mm
Cabel Length:2m



DSP3001

Unite Dimension:90*53*53mm
Material:ABS
Color:White
Packing Details:22pcs/ctn,12.0kgs/ctn,
52.5*39*27cm





Dragon guard your treasure.

PAGE

Watch Display Security

10-5



DSW1602

Unite Dimension:87*73*115mm
Material:Acrylic+ABS
Battery Capacity:250mAh
Stand-by time:5-10days
Color:White/Black
Apply:Watch/Smart Ring
Packing Details:20pcs/ctn,9.0kgs/ctn,
75*33*29cm



DSW1604

Unite Dimension:87*73*115mm
Material:Acrylic+ABS
Battery Capacity:210mAh
Stand-by time:12-15 months
Color:White/Black
Apply:Watch/Smart Ring
Packing Details:20pcs/ctn,6.0kgs/ctn,
75*33*29cm



HP002

Unite Dimension:78*49*128mm
Material:ABS
Battery Capacity:1000mAh
Color:White/Black
Apply:Watch/Smart Ring
Packing Details:38pcs/ctn,9.5kgs/ctn,
52.5*39*27cm



MOBILE PHONE



CAMERA



WATCH



PAD



**New Upgraded Generation
longer life much stronger
more than 50000+ times tensile test**





Application: Headphones, laptop, bottles, acoustics, etc



Model No.	HP001	Battery Capacity	650mAh
Dimension	60*60*45mm	Stand-by time	15 Months
Material	ABS	Color	White,Black
Charging Voltage	3.7V	Paking Details	80pcs/ctn,10kg/ctn, 75*33*29cm



Security hook stop locks are mainly used with security hooks for security of products on display and products in supermarket as well as other large shopping facilities.

The advantage of security hook stoplock is to ensure commodities security without affecting the appearance of goods and customers' shopping experience.



D042



H001



H002



SL006B



SL006



H003



D021



Dragon guard your treasure.

Security Hook Stoploc

PAGE

10-



SECURE FIXTURE



Part# SL004/5/6/7/8

Dimension:39*19*15mm

Color:Red/Yellow/Black/Customized

Aperture Diameter:4/5/6/7/8 Dia'mm

Packing Details:2000pcs/ctn,12.3kgs/ctn,47*32*21cm



SF1001

Length:16cm,18cm,25cm or customized

Lock:Magnetic Locking

Packing Details:50pcs/ctn,7.0kgs/ctn,38*27*28cm



Dragon guard your treasure.

PAGE

Security Hook Stoploc

10-



SL006

Aperture Diameter:6Dia'mm
Unit Dimension:39*19*15mm
Color:Red,Blue,Yellow,Black or Customized
Lock:D021 Stoplock Detacher
Packing Details:2000pcs/ctn,12.03kgs/ctn,
47*32*21cm



SL006



SL006B

Aperture Diameter:4.5/6Dia'mm
Unit Dimension:40*20*18mm
Color:Red,Blue,Yellow,Black or Customized
Lock:D021 Stoplock Detacher
Packing Details:1000pcs/ctn,9.0kgs/ctn,
40*30*20cm



SL006B



D021 Stoplock Detacher

Unit Dimension:21 Dia*57mm
Magnetic Force:5000GS
Packing Details:50pcs/ctn,3.0kgs/ctn,
18*15*8cm



D021 Stoplock Detacher



D042 Detacher

Unit Dimension:67*35*18mm
Magnetic Force:3000GS



D042 Detacher



H001

Aperture Diameter:5/6/7 Dia'mm
Unit Dimension:70*19mm
Color:Red,Grey Black or Customized
Lock:D021 Stoplock Detacher
Packing Details:1000pcs/ctn,12.0kgs/ctn,
40*30*24cm



H001



H002

Aperture Diameter:6 Dia'mm
Unit Dimension:54*20*23.5mm
Color:White,Grey or Customized
Lock:D023 Detacher
Packing Details:1000pcs/ctn,17.0kgs/ctn,
60*24*30cm



H002



H003

Aperture Diameter:8.1*34mm
Unit Dimension:45.2*22.5*12.8mm
Color:White,Grey or Customized
Lock:D021 Stoplock Detacher
Packing Details:500pcs/ctn,7.7kgs/ctn,
40*25*18cm



H003



H005

Aperture Diameter:8.1*34mm
Unit Dimension:45.2*22.5*12.8mm
Color:White,Grey or Customized
Packing Details:500pcs/ctn,7.7kgs/ctn,
40*25*18cm



H005



New Secure Fixtures

Advantage

- Easy assembling, easy operation, bearing and tightly.
- 50% of labor cost- reduction, 70% Space-saving .
- Safely display your products and increase sales value.
- The goods can be displayed in good order and appearance, it not only keeps the goods in safe state, but also make the clients clear at a glance.
- Mainly used for display sales of blister & packaging commodities.

Unit Dimension: 150*180*250mm

Material: Aluminium Alloy & ABS

Net Weight: 150g

Lock: Special Super Magnetic



SF4001



SF4002



SF4003



SF4004



PRODUCT SPECIFICATION:

Installation: Fixed on the slat wall or pegboard.

Length: 16cm, 18cm, 25cm or Customized

Lock: Magnetic Locking.


Packing Details: 50pcs/ctn, 7.0kgs/ctn, 38*27*28cm

APPLICATION:


Digital stores, cellphone stores, book stores, pharmacies, auto accessories stores, shopping malls, exhibition places, branded chain stores, experience stores, image stores, flagship stores etc.




SF1001-ORIFICE PLATE



SF2001-SLOT PLATE



SF2002-GROOVE PLATE



SF3001-SQUARE TUBE

PULL BOX

Different terminals are suitable for different products.



Application:
jewelry, glasses, mobile phone,
headphone, hardware accessories,
medical equipment, etc.



LX001

Unit Dimension:44*44*18.5mm
Lanyard Length:90cm
Lanyard Diameter:0.9mm
Packing Details:150pcs/ctn,1.3kgs/ctn,
26*15*18cm



LX002

Unit Dimension:42Dia*12mm
Lanyard Length:90cm
Lanyard Diameter:0.9mm
Packing Details:150pcs/ctn,1.3kgs/ctn,
26*15*18cm



LX003

Unit Dimension:33Dia*16mm
Lanyard Length:85cm
Lanyard Diameter:0.9mm
Packing Details:150pcs/ctn,1.3kgs/ctn,
26*15*18cm



LX004

Unit Dimension:25Dia*8mm
Lanyard Length:52cm
Lanyard Diameter:0.45mm
Packing Details:150pcs/ctn,1.3kgs/ctn,
26*15*18cm



LX005

Unit Dimension:32Dia*11mm
Lanyard Length:90cm
Lanyard Diameter:0.6mm
Packing Details:150pcs/ctn,1.3kgs/ctn,
26*15*18cm



LX006/L006B

Unit Dimension:70*70*30mm(LX006)
44*44*16mm(LX006B)
Lanyard Length:90cm
Lanyard Diameter:0.9mm





AM SYSTEM

Advantages of AM system:

- 1.Excellent detection performance*
- 2.Wider aisle allowed*
- 3.Strong anti-interference ability*

coustic magnetic system mainly use acrylic or resin material, fashionable and beautiful, greatly reduce the losses of shoplifting in shops, and creates a better atmosphere of an honest and safe retail environment.

AM hard tags are available in many different form factors, and AM adhesive label is very small than RF label, which can bring a more secure and concealed protection.




AS1001

Master/Slave

Product Specification

- Use high quality aluminum alloy material, more durable.
- Super anti-interference performance, strong resistance to metal shielding.
- Can be posted advertising painting, beautiful appearance, has promotional and hidden function

Frequency	58KHz
Unit Dimension	163*36*8cm(H*W*D)
Material	Aluminium Alloy
Packing Details	2pcs/ctn,25.0kgs/ctn,169*27.1*41.5cm
Application	Supermarket,garment shop,digital shop etc.
Detection Distance	 « DR label:1.5-1.7m » « Hard Tag:1.8-2.0m » 



AS1002

Master/Slave

Product Specification

- The outer border of the reinforcement Aluminum Alloy, fire resistant collision.
- Inner surface embedded imported acrylic sheet, can be inserted billboards.
- Mobile phone APP and computer wireless software two debugging modes are optional.

Frequency	58KHz
Unit Dimension	160cm*37cm*4.5cm(H*W*D)
Material	Reinforcement Aluminum Alloy & acrylic
Packing Details	Master: 16.8KG 163*48*17cm Slave: 14.8KG 163*48*17cm
Application	Supermarket,garment shop,digital shop etc.
Detection Distance	 « DR label:1.7-1.9m » « Hard Tag:2.0-2.5m » 



AS1003

Master/Slave

Product Specification

- Low voltage and radiation - safety, energy saving and environmental protection;
- Innovative features - advertising and making profit for customers;
- Remote after-sale service - solving the problem more efficiently;
- Transceiver - master work alone, one master with two slave reduce costs.

Frequency	58KHz±0.5KHz
Unit Dimension	151.5*39.5*9cm(H*W*D)
Material	Imported Acrylic + Aluminum Alloy Frame
Packing Details	1pc/ctn, 11kgs/ctn, 160*45*15cm
Application	Supermarket, garment shop, digital shop etc.
Detection Distance	« DR label: 1.8-2.0m » « Hard Tag: 2.8-3.0m »



AS1004

Master/Slave

Product Specification

- Low voltage and radiation - safety, energy saving and environmental protection;
- Innovative features - advertising and making profit for customers;
- Remote after-sale service - solving the problem more efficiently;
- Transceiver - master work alone, one master with two slave reduce costs.

Frequency	58KHz±0.5KHz
Unit Dimension	152.5cm*40cm*9cm(H*W*D)
Material	Imported Acrylic + Aluminum Alloy Frame
Packing Details	1pc/ctn, 14kgs/ctn, 160*45*15cm
Application	Supermarket, garment shop, digital shop etc.
Detection Distance	« DR label: 1.8-2.0m » « Hard Tag: 2.8-3.0m »



AS4001

Dual/Mono

Product Specification

- Body is made from high light transmittance acrylic. With graceful outlook, it can leave customers an elegant sumptuous impression of the store.
- Among similar antennas, this one is with better detecting distance and anti-interference performance, which make it suitable for all kinds of high-end brand garment stores.
- Very stable performance, longer detecting distance

Frequency	58KHz
Unit Dimension	150*39*2.5cm(H*W*D)
Material	Acrylic
Packing Details	1pcs/ctn,26.5kgs/ctn,161.5*46.5*14cm
Application	Supermarket,garment shop,digital shop etc.
Detection Distance	DUAL DR label: 1.2-1.4m Hard Tag:1.8-2.0m MONO DR label: 0.6-0.7m Hard Tag:0.9-1.0m



AS4002

Master/Slave

Product Specification

- Industrial DSP digital signal processor, automatic tuning circuit , plug and play, hardware and software synchronization debugging, Sound and light alarm, wireless synchronization system is simple to install,AS4002 can play any format video files, pictures, music and so on.
- AS4002 is anti-theft system, at the same time, it has advertising effect, increase the attractiveness of goods, and promote corporate propaganda.

Frequency	58KHz
Unit Dimension	150*37*2.5cm(H*W*D)
Material	Acrylic
Packing Details	1pcs/ctn,22.0kgs/ctn,167.5*44.5*21.5cm
Application	Supermarket,garment shop,digital shop etc.
Detection Distance	 DR label:1.1-1.2m Hard Tag:1.4-1.8m 



AS4004

Dual/Mono

Product Specification

- Made by Germany imported acrylic material, beautiful and clear appearance, will not be deformed.
- Easy installation, without debugging and no need to connect with external host.
- With LED display counter, can be adjusted by remote control.

Frequency	58KHz
Unit Dimension	150*40*2cm(H*W*D)
Material	Acrylic
Packing Details	1pcs/ctn, 22.0kgs/ctn, 160*48*17cm
Application	Supermarket, garment shop, digital shop etc.
Detection Distance	DUAL DR label: 1.2-1.6m Hard Tag: 1.5-3.0m MONO DR label: 0.6-0.8m Hard Tag: 0.75-1.5m



AS4005

Master/Slave

Product Specification

- Made by Germany imported acrylic material, beautiful and clear appearance, will not be deformed
- Easy installation, without debugging and no need to connect with external host
- Strong anti-interference ability, almost no false alarm

Frequency	58KHz
Unit Dimension	160cm*43cm*20cm(H*W*D)
Material	Acrylic
Packing Details	2pcs/ctn, 23.0kgs/ctn, 162*51*21cm
Application	Supermarket, garment shop, digital shop etc.
Detection Distance	DR label: 0.75-1.5m Hard Tag: 1.9-2.2m




AS4006

Master/Slave

Product Specification

- Germany imported acrylic, transparent and fashion-forward design, high temperature resistance, no deformation
- Suitable for boutiques, blend perfectly with the surrounding decor
- Digital signal processing technology
- Self-adjusting electronics(SMD) technology

Frequency	58KHz
Unit Dimension	153*39*2.5cm(H*W*D)
Material	Acrylic
Packing Details	1pc/ctn, 24kgs/ctn, 167*50*14cm
Application	Supermarket, garment shop, digital shop etc.
Detection Distance	 « DR label: 1.1-1.2m »  « Hard Tag: 2.2-2.4m »



AS4007

Master/Slave

Product Specification

- Motherboard is an intelligent digital display board.
- Effectively shorten the detection distance of the antenna outside (such as anti-theft tag), reduce false alarm.
- Super anti-interference ability. Can be used with other installed antennas.

Frequency	58KHz
Unit Dimension	146cm*20cm*2cm(H*W*D)
Material	Acrylic
Packing Details	2pc/ctn, 29kgs/ctn, 154*28*31cm
Application	Supermarket, garment shop, digital shop etc.
Detection Distance	 « DR label: 1.4-1.8m »  « Hard Tag: 2.6-3.0m »





AS5001

Master/Slave

Product Specification

- Made by high strength ABS material, beautiful and clear appearance
- Easy installation, without debugging and no need to connect with external host
- The world's leading self-test technology and DSP digital signal processing system to ensure the high detection rate
- Strong anti-interference ability, almost no false alarm

Frequency	58KHz
Unit Dimension	157.5*43*14cm(H*W*D)
Material	ABS
Packing Details	1pcs/ctn,9.5kgs/ctn(master),5.5kgs/ctn(slave)
Application	Supermarket,garment shop,digital shop etc.
Detection Distance	 DR label:0.75-1.5m Hard Tag:1.8-2.2m



AS6001

Product Specification

- Completely hidden guarantee store beautiful appearance, while improving the space utilization rate.
- Buried antenna provides wide protection of entrance and exit.
- The newest hardware designs makes the installation & debugging more convenience.

Frequency	58KHz
Unit Dimension	160*44*2cm(H*W*D)
Material	ABS
Packing Details	1pcs/ctn,12.2kgs/ctn,184*48*12cm
Application	Supermarket,garment shop,digital shop etc.
Detection Distance	 Detection Height 0-0.7m for DR label 0-1.6m for Hard Tag



AS7001

Dual/Mono

Product Specification

- Automatically adjust the signal
- With anti-interference technology, intelligent detection
- High-speed DSP digital signal processing, improved the detection rate and stability

Frequency	58KHz
Unit Dimension	148*45*12cm(H*W*D)
Material	ABS
Packing Details	2pcs/ctn,21.0kgs/ctn,150*51*24cm
Application	Supermarket,garment shop,digital shop etc.
Detection Distance	DUAL DR label: 1.4-1.6m Hard Tag:2.2-2.4m MONO DR label: 0.7-0.8m Hard Tag:1.1-1.2m



AS8001

Mater/Slave

Product Specification

- DSP (Digital Signal Processing) technology with high sensitivity.
- Strong anti-interference technologies and minimize false alarm.
- HIPS material,sleek modern new design,very stable performance and ultra wide detection distance.

Frequency	58KHz
Unit Dimension	143.5*38*1.5(H*W*D)
Material	HIPS
Packing Details	15.0kgs/ctn(master),11.0kgs/ctn(slave),172*47*20cm
Application	Supermarket,garment shop,digital shop etc.
Detection Distance	DR label:1.1-1.3m Hard Tag:1.8-2.0m



AS9002

Mater/Slave

Product Specification

- Easy installation, High performance
- Wide detection range
- Advanced technology with software control which ensures antenna works stable even under the noise environment.

Frequency	58KHz
Unit Dimension	154.8cm*40cm*13cm(H*W*D)
Material	ABS
Packing Details	15.0kgs/ctn(master),11.0kgs/ctn(slave),172*47*20cm
Application	Supermarket,garment shop,digital shop etc.
Detection Distance	 DR label:1.2-1.4m  Hard Tag:2.2-2.4m



Dragon guard your treasure.

PAGE

AM Deactivator 11-12

AM Deactivator



AD005
(Desktop)



AD004
(Flush Mount)

Item No.	AD005	AD004
Frequency	58KHz	58KHz
Size	16*20*4cm	19.5*23*6cm (Pannel)
Material	ABS plastic	ABS plastic
Detection Height	10~18cm	10~18cm
Packing Details	1pc/ctn , 2.3kgs/ctn , 27*27*15cm	



AD003 AM DEACTIVATOR

Frequency:58KHz
 Unit Dimension:Decoding Board 23*24*3cm Decoder:
 19*23*5cm
 Detection Range:6-8cm
 Detection Height:≤8cm
 Color:Dark Grey
 Packing Details:1pc/ctn,3.5kgs/ctn,38*28*16cm
 5pcs/ctn,19.0kgs/ctn,58*40*48cm



AHD001 AM HANDHELD DETECTOR

Frequency:58KHz
 Working Voltage:9V
 Unit Dimension:37*8*3cm
 Detection Range:10-15cm
 Color:Black
 Packing Details:1pc/ctn,0.3kg/ctn,39*9*4cm



AD004 AM INTERGRATED DEACTIVATOR (FLUSH MOUNT)

Frequency:58KHz
 Material:ABS plastic
 Deactivating height:8-12cm
 Pannel size:19.5*23cm
 Built-in size:16.5*21cm
 Color:Dark Grey
 Packing Details:1pc/ctn,2.3kgs/ctn,27*27*15cm



AD005 AM INTERGRATED DEACTIVATOR (DESKTOP)

Frequency:58KHz
 Material:ABS plastic
 Deactivating height:8-12cm
 Size:16*20*4cm
 Color:Dark Grey
 Packing Details:1pc/ctn,2.3kgs/ctn,27*27*15cm



AD007 AM DEACTIVATOR

Frequency:58KHz
 Panel Size:22.8*19.8*6.2cm
 Cut Slot Size:21*18cm
 Detection Height:10-18cm
 Decoding Height:5cm
 Packing Details:1pc/ctn,1.9kg/ctn,
 31.5*26*8cm



AD008 AM DEACTIVATOR

Frequency:58KHz
 Unit Dimension:15.5*10.8*0.8cm
 Color:Black
 Packing Details:100pcs/ctn,23.5kgs/ctn,40*28*17cm





AD006AMINTERGRATEDDEACTIVATOR

Frequency:58KHz
 Decoding Height:8-12cm
 Pannel size:20.5*20.5cm
 Built-in size:18.5*18.5cm
 Color:Black/Dark Red
 Packing Details:1pc/ctn,2.4kgs/ctn,28*24.5*14.5cm
 5pcs/ctn,12.6kgs/ctn,74.5*30*26.5cm



AD006 AM INTERGRATED DEACTIVATOR





RF System

Due to the high frequency of RF, high efficiency, the required transmission power is small, RF antenna can be done slim and delicate, more beautiful and fashionable.

***R**F anti-theft system is one of the earliest application of electronic anti-theft system. With mature technology, high detection rate, wide installation distance, it can protect the major commodities in the shop better. What's more, it can be used alone or as needed to form multiple channels for flexible installation.*



RS4001

Dual

Product Specification

- Adapting good digital signal processing technology and automatic gain control function of advanced pulse AGC technology. At the same time double screening AGC more adaptable.
- The main function is controlled by the single-chip and intelligent application software. With PIT detection technology, identification code technology, LED multi-functional full process display technology

Frequency	8.2MHz
Unit Dimension	155*36*2cm(H*W*D)
Material	Aluminum Alloy+ABS
Packing Details	2pc/ctn, 15.0kgs/ctn, 161*42*20cm
Apply	Supermarket, garment shop, cosmetic shop etc.
Detection Distance	 RL 4*4: 1.4-1.6m T002 minisquare: 1.4-1.6m T004 large square: 1.6-1.8m 



RS5005

Dual/Mono

Product Specification

- Digital sensitivity condition, better anti-interference capability
- Chip can be upgrade online when in necessary
- High efficiency power management (DC/DC) function
- Double mounting holes, compatible with common RF motherboard.

Frequency	8.2MHz
Unit Dimension	153*42*8cm(H*W*D)
Material	Aluminum Alloy
Packing Details	2pc/ctn, 13.0kgs/ctn, 156*45*13cm (Dual) 1pc/ctn, 9.0kgs/ctn, 156*45*13cm (Mono)
Apply	Supermarket, garment shop, cosmetic shop etc.
Detection Distance	DUAL RL 4*4: 1.2-1.4m T002 mini square: 1.4-1.8m T004 large square: 1.8-2.2m MONO RL 4*4: 0.6-0.7m T002 mini square: 0.7-0.9m T004 large square: 0.9-1.1m



Dragon guard your treasure.

PAGE

RF System

12-5



RF SYSTEM

RS5007 (DUAL)

Frequency: 8.2MHz
Working Voltage: 110V-240V
Working Environment: -20°C-60°C
Unit Dimension: 155.8*24*3cm
Material: Aluminium Alloy
Detection Distance:
RF Label: 1~1.5m
Small Square Tag: 1.6m
Large Square Tag: 1.8m
Packing Details: 2pcs/ctn, 8kgs/ctn,
170*20*42cm



RS4006

Dual

Product Specification

- High quality acrylic, beautiful look and tough structure.
- With small and exquisite shape, saving space.
- Sound-light alarm technology, with stable performance.

Frequency	8.2MHz
Unit Dimension	145*20*10cm(H*W*D)
Material	Acrylic
Packing Details	2pc/ctn,24.0kgs/ctn,160*26*20cm
Apply	Supermarket,garment shop,digital shop etc.
Detction Distance	 RL 4*4:0.9m T002 mini square:1.2m T004 large square:1.5-2.0m 



RS5007

Dual/Mono

Product Specification

- High quality aluminium alloy, no painting fading.
- With small and exquisite shape, saving space.
- Sound-light alarm technology, with stable performance.

Frequency	8.2MHz
Unit Dimension	155.8*24*3cm(H*W*D)
Material	Aluminium Alloy
Packing Details	2pc/ctn,8.0kgs/ctn,170*20*42cm
Apply	Supermarket,garment shop,digital shop etc.
Detction Distance	DUAL RL 4*4:1.2-1.5m T002 mini square:1.4-1.6m T004 large square:1.6-1.8m MONO RL 4*4:0.6-0.75m T002 mini square:0.7-0.8m T004 large square:0.8-0.9m



RS5001

Dual/Mono

Product Specification

- Brandnew acrylic material imported from Germany;
- Advanced technology and software control method ensure stable performance of antenna
- Easy installation and operation
- Red and blue leds are available

Frequency	8.2MHz	
Unit Dimension	158*36*2cm(H*W*D)	
Material	Acrylic	
Packing Details	1pc/ctn, 19.5kgs/ctn, 172*47*20cm	
Apply	Supermarket, garment shop, digital shop etc.	
Detction Distance	DUAL RL 4*4: 1.4-1.6m T002 mini square: 1.6-1.8m T004 large square: ≥2.2m	MONO RL 4*4: 0.7-0.8m T002 mini square: 0.8-0.9m T004 large square: ≥1.1m



RS6003

Dual/Mono

Product Specification

- German imported high quality organic glass; unique alarm lamp and base design, stylish and generous appearance
- High detection efficiency and low false alarm rate
- Specially designed which with Ultra - width detection distance for the high end stores and specialty stores

Frequency	8.2MHz	
Unit Dimension	161*38*2cm(H*W*D)	
Material	Acrylic	
Packing Details	1pc/ctn, 24.0kgs/ctn, 165*45*15cm	
Apply	Supermarket, garment shop, digital shop etc.	
Detction Distance	DUAL RL 4*4: 1.2-1.4m T002 mini square: 1.6-1.8m T004 large square: 1.8-2.0m	MONO RL 4*4: 0.6-0.7m T002 mini square: 0.8-0.9m T004 large square: 0.9-1.0m



Dragon guard your treasure.

PAGE

RF System

12-8

**WIDE
DETECTION**

RS5008
DUAL/MONO



RS5002

Dual/Mono

Product Specification

- Its material is high-quality aluminum alloy, which makes the antenna durable
- It adopts digital processing technology, so it has stable performance and low false alarm rate

Frequency	8.2MHz	
Unit Dimension	156*40*3cm(H*W*D)	
Material	Aluminum Alloy	
Packing Details	1pc/ctn,13.0kgs/ctn,170*49*20cm	
Apply	Supermarket,garment shop,digital shop etc.	
Detction Distance	DUAL RL 4*4:1.2-1.6m T002 mini square:1.6-1.8m T004 large square:≥2.0m	MONO RL 4*4:0.6-0.8m T002 mini square:0.8-0.9m T004 large square:≥1.0m



RS5008

Dual/Mono

Product Specification

- Its material is high-quality aluminum alloy, which makes the antenna durable
- Its alarm distance is particularly wide
- It is widely applicable to supermarket store

Frequency	8.2MHz	
Unit Dimension	167*42*2cm(H*W*D)	
Material	Aluminium Alloy	
Packing Details	2pcs/ctn,14kgs/ctn,171*20.5*46cm	
Apply	Supermarket,garment shop,digital shop etc.	
Detction Distance	DUAL RL 4*4:1.4-1.6m T002 mini square:1.6-1.8m T004 large square:≥2.2m	MONO RL 4*4:0.7-0.8m T002 mini square:0.8-0.9m T004 large square:≥1.1m



RS5003

Dual/Mono

Product Specification

- Strong anti-interference capability, low working power
- Stable performance, Wide detection distance
- Easy installation, no additional equipment to adjust

Frequency	8.2MHz	
Unit Dimension	155*36*2cm(H*W*D)	
Material	Aluminum Alloy	
Packing Details	2pc/ctn, 15.0kgs/ctn, 161*42*20cm	
Apply	Supermarket, Clothes store, and other retail stores.	
Detction Distance	DUAL RL 4*4:1.4-1.6m T002 mini square:1.6-1.8m T004 large square:≥2.2m	MONO RL 4*4:0.7-0.8m T002 mini square:0.8-0.9m T004 large square:≥1.1m



RS5004

Dual

Product Specification

- Advanced RF technology, pulse signal work mode, it can save power than the traditional EAS system.
- Simply installation, no need for other equipment to debugging.
- Wireless synchronization

Frequency	8.2MHz	
Unit Dimension	163*22*4.5cm(H*W*D)	
Material	Aluminum Alloy	
Packing Details	2pc/ctn, 18.0kgs/ctn, 173*40*21cm	
Apply	Supermarket, Clothes store, and other retail stores.	
Detction Distance	RL 4*4:1.4-1.6m T002 minisquare:1.4-1.6m T004 largesquare:1.6-1.8m	



RD001 RF DEACTIVATOR

Frequency:8.2MHz
Working Voltage:110V-240V
Unit Dimension:Decoding Board 24*24*1cm
Decoder 15*11*3cm
Decoding Speed:120/min
Deactivation Height:25cm
Width Of Sweeping Frequency:7.6MHz-9.0MHz
Color:Gray
Packing Details:10pcs/ctn,13.5kgs/ctn,48*38*28cm



RD002 RF DEACTIVATOR

Frequency:8.2MHz
Working Voltage:DC18V
Unit Dimension:24*24*2.5cm
Deactivation Height:10-25cm
Color:Black
Packing Details:30pcs/ctn,35.0kgs/ctn,76*31*32cm



RD004 RF DEACTIVATOR

Frequency:8.2MHz
Working Voltage:110V-220V/500mA
Unit dimension:24.3*23.2*2cm
Detection height:25cm
Decoding height:25cm
Color:Black
Packing Details:10pcs/ctn,9.87kg/ctn,55*40*26cm



RHD001 RF HANDHELD DETECTOR

Frequency:8.2MHz
Working Voltage:9V
Unit Dimension:37*8*3cm
Detection Range: 10-15cm
Color:Black
Packing Details:1pc/ctn,0.3kg/ctn,39*9*4cm





EM System

The electromagnetic system uses electromagnetic radiation as the detection signal. In which the labels used with good price and small size. Can be deactivated/activated and repeatedly. It's very suitable for books, medicines and some special products. Popular in library, bookstores, video stores and so on.



ES001

It passed ISO9001:2008 international quality system certification from 2002 up to now.

Product Specification

- Solid wood and cristal glass combination design, flow linear shape, good transparent effect. And meets the requirement of the Standard of the Disabled Barrier Free Access.
- Applicant for books, pharmacy, cosmetics etc. Blending with surroundings, easy operation, low cost. with ability of anti electronic interference and resistance to aluminium foil block and tinfoil block.

Unit Dimension	148*54*4cm(H*W*D)
Working Voltage	110V-240V
Working Environment	-10°C-40°C
Material	Advanced-Resin-Glass+MDF
Detection	Height:170cm Width:80cm
Packing Details	1set/ctn,34.0kgs/ctn, 151*62*18cm
Controller-Box Packing Details	1set/ctn,6.5kgs/ctn, 43*33*32cm



ES002

It passed ISO9001:2008 international quality system certification from 2002 up to now.

Product Specification

- Solid wood and cristal glass combination design, flow linear shape, good transparent effect. And meets the requirement of the Standard of the Disabled Barrier Free Access.
- Applicant for books, pharmacy, cosmetics etc. Blending with surroundings, easy operation, low cost. with ability of anti electronic interference and resistance to aluminium foil block and tinfoil block.

Unit Dimension	145*62*4cm(H*W*D)
Working Voltage	110V-240V
Working Environment	-10°C-40°C
Material	Advanced-Resin-Glass+MDF
Detection	Height:170cm Width:80-100cm
Packing Details	1set/ctn,36.0kgs/ctn, 150*70*30cm
Controller-Box Packing Details	1set/ctn,6.5kgs/ctn, 43*33*32cm



ES003

It passed ISO9001:2008 international quality system certification from 2002 up to now.

Product Specification

- Adapting FRP material, anti-aging corrosion resistance, durable. And has a precise alarm and high detection rate.
- Can work with people counting, compatible with labels, green energy.
- with ability of anti electronic interference and resistance to aluminium foil block and tinfoil block.

Unit Dimension	152*44*3cm(H*W*D)
Working Voltage	110V-240V
Working Environment	-10°C-40°C
Material	Advanced-Resin-Glass
Detection	Height:170cm Width:80cm
Packing Details	1set/ctn,24.0kgs/ctn, 158*50*18cm
Controller-Box Packing Details	1set/ctn,6.5kgs/ctn, 43*33*32cm



ES008

It passed ISO9001:2008 international quality system certification from 2002 up to now.

Product Specification

- Pure acrylic carefully carved, crystal transparent, streamlined, and transparent effect.
- It has a precise alarm and high detection rate.
- Can work with people counting, compatible with labels, green energy
- with ability of anti electronic interference and resistance to aluminium foil block and tinfoil block.

Unit Dimension	150*40*3cm(H*W*D)
Working Voltage	110V-240V
Working Environment	-10°C-40°C
Material	Acrylic
Detection	Height:170cm Width:80-100cm
Packing Details	1set/ctn,37.0kgs/ctn, 164*67*13cm
Controller-Box Packing Details	1set/ctn,6.5kgs/ctn, 43*33*32cm



EL002 EM BOOKLABEL

Size:12cm or 16cm
Material:Cobalt-Based
Characteristic:Double Side Adhesive
Deactivable/Non-Deactivable
Length 16cm Packing Details:
50000pcs/ctn,20.0kgs/ctn,
41*33*26cm



EL002 EM BOOKLABEL



EL004 EM BOOKLABEL

Size:12cm or 16cm
Material:Cobalt-Based
Characteristic:Double Side Adhesive
Deactivable/Non-Deactivable
Length 12cm Packing Details:
20000pcs/ctn,10.0kgs/ctn,48*38*17cm
Length 16cm Packing Details:
20000pcs/ctn,11.0kgs/ctn,48*38*17cm



EL004 EM BOOKLABEL



EL005 EM LABEL

Size:1*4/1*5/1*6cm or Customized
Material:Cobalt-Based
Characteristic:Single Side Adhesive
Deactivable/Non-Deactivable
Packing Details:20000pcs/ctn,5.8kgs/ctn,
27*22*29cm



EL005 EM LABEL



EL008 EM CD LABEL

Size:11.4cm Dia'
Strip Size:10cm
Material:Cobalt-Based
Characteristic:Single Side Adhesive
Deactivable/Non-Deactivable
Packing Details:4000pcs/ctn,9.0kgs/ctn,
48*25*14cm



EL008 EM CD LABEL



ED002 ACTIVATOR/DEACTIVATOR

Unit Dimension:27*23*10cm
Working Voltage:110V-240V
Deactivation Height:≤10cm
Packing Details:1pc/ctn,8.0kgs/ctn,35*29*18cm



ED004 ACTIVATOR/DEACTIVATOR/DETECTOR

Unit Dimension:34*22*9cm
Working Voltage:110V-240V
Detection Height:≤2cm
Deactivation Height:≤5cm
Packing Details:1pc/ctn,10.0kgs/ctn,41*33*18cm



 +86-516-61886636

 sales@dragon-guard.com

 www.dragon-guard.com